

antico
spacia

Beautifully simple.

**LVT that works.
Every single time.**

In stock & ready
when you are.

0.55 mm wear layer.

Think
Play
Sketch
Specify
Spacia.



Get creative with our
Room Visualiser

Explore patterns and
colours for your next project.

amtico.com

Contents

Specify Spacia	4
Parquets	8
Wood	10
Stone	22
Stripping	36
Acoustic	37
Enhanced Protection	38
Laying Patterns	40
Projects	46
Product Availability	54
Packaging	56

Beautifully simple.

If you're looking for a collection that's reliably beautiful. One that can feel both contemporary and timeless. That's in stock and ready when you are. And supported by seamless service. A collection that delivers, every single time.

Specify Spacia.



10YR COMMERCIAL
WARRANTY

For a floor that's ready when you are. Installed in hours. Fresh for years.

Spacia is always in stock* – so it can be ready when you are, and is guaranteed to perform for 10 years.



Carriage Oak - Stripwood, Horizon - Broken Bond

36

New products

94

Designs for greater choice

0.55mm

Wear layer

36+

Safety option available*

10

Year warranty

74

Wood and Stone parquet designs

*Full collection stocked in the UK. 36+ and Acoustic are made to order. Bestsellers only in mainland Europe. Regional stock details available on request.

For a floor that just works.

With a combination of seamless service and a balanced, versatile palette, Spacia is a collection you'll return to again and again.

Specify Spacia.

We offer expert support with a free online supply service for samples.
amtico.com/commercial



For Parquet your way.

Timeless and classic, people come back to parquet again and again. So, our updated Spacia collection has the biggest selection ever of 74 parquet options in two sizes for you to play with. Naturally there's the traditional wood designs. But for a really contemporary vibe, we now have stone parquet options in the subtle new Tones palette (p31) and in Spacia's four elegant marble designs (p29).

Blackened Spa Wood – Small Parquet SP136



Grey Marble – Large Parquet SP146



Small Parquet
Available in Wood & Stone

Planks & Tiles:
76.2 x 228.6 mm (3 x 9")



Large Parquet
Available in Wood & Stone

Planks & Tiles:
101.6 x 457.2 mm (4 x 18")



Explore Spacia
Parquet options.





Iced Oak – Large Parquet SP140



Iced Oak
SS5W3310



Credenza Oak
SS5W3035



Coastal Pine
SS5W3029

Smoked Timber
SS5W2652

Scorched Timber
SS5W3024

Cool Woods

 Available in Large and Small Parquet.

For 36+ slip resistant and acoustic solutions
see pages 37-39.

White Ash
SS5W2540



Nordic Oak
SS5W2550



Sash Oak
SS5W3032

Drift Pine
SS5W3027

Blackened Spa Wood
SS5W3025





Powdered Oak – Stripwood



Powdered Oak
SS5W3311

Worn Ash
SS5W2539

Weathered Oak
SS5W2524

Hampton Oak
SS5W3031

Haven Oak
SS5W3033

Neutral Woods

 Available in Large and Small Parquet.

For 36+ slip resistant and acoustic solutions
see pages 37-39.

White Oak
SS5W2548

Sun Bleached Oak
SS5W2531



Bleached Elm
SS5W2516

Estuary Pine
SS5W3028

Dusky Walnut
SS5W2542



Muted Oak – Stripwood



White Maple
SS5W2654



Muted Oak
SS5W3312



☒ Pale Ash
SS5W2518



☒ Featured Oak
SS5W2533



Dry Cedar
SS5W2535

Golden Woods

☒ Available in Large and Small Parquet.

For 36+ slip resistant and acoustic solutions
see pages 37-39.

Eden Oak
SS5W1010



Canopy Oak
SS5W1020



Limed Wood Natural
SS5W2549



Mulled Oak
SS5W3313



☒ Noble Oak
SS5W3030





Traditional Oak – Stripwood



Honey Oak
SS5W2504

Smoothbark Hickory
SS5W2545

New England Oak
SS5W2527



Royal Oak
SS5W2530

Rustic Barn Wood
SS5W2513

Warm Woods

 Available in Large and Small Parquet.

For 36+ slip resistant and acoustic solutions
see pages 37-39.

Warm Maple
SS5W2502

Sherwood Oak
SS5W2532

Traditional Oak
SS5W2514



Exotic Walnut
SS5W2541

Black Walnut
SS5W2534





Heritage Oaks

Malthouse Oak
SS5W3315



Forge Oak
SS5W3317



Carriage Oak
SS5W3316



Granary Oak
SS5W3318



Our Heritage Oak designs feature a beautifully tactile and realistic surface texture. Using in-register emboss (IRE) technology, the physical grain carefully follows the wood design, resulting in a highly natural, organic finish.



Explore the latest Oak designs in the Spacia collection.





Urban Salvaged Timber – Stripwood

Salvaged Timber

☑ Available in Large Parquet.

Also available in Boardwalk.

For 36+ slip resistant and acoustic solutions see pages 37-39.

Salvaged Timber is our interpretation of authentic reclaimed wood, so the colour tones and texture effects have a high degree of variation across individual planks. Please visit the website for more information and product imagery.



Find out more about Spacia Salvaged Timber.



Urban Salvaged Timber
SS5W3323




Washed Salvaged Timber
SS5W3322



Urban Salvaged Timber – Large Parquet SP142



Plaza Concrete – Uniform Block



☒ Rialto Concrete
SS5S2611



☒ Villa Concrete
SS5S2612



Metropolis Ice
SS5A2617

Cool Stones

☒ Available in Large and Small Parquet.

For 36+ slip resistant and acoustic solutions
see pages 37-39.

Plaza Concrete
SS5S3070



Gallery Concrete
SS5S3071



Linear Stone Shale
SS5S3606



Mirus Feather
SS5A6120



Monument Concrete
SS5S3072



Zinc
SS5A3620





Ceramic Frost
SS5S1591



Stanton Stone
SS5S1593



Limestone Cool
SS5S1561

Pale Stones

For 36+ slip resistant and acoustic solutions
see pages 37-39.

Dry Stone Alba
SS5S4401



Mirus Cotton
SS5A6110



Kingham Stone
SS5S1594



Ceramic Ecru
SS5S3592



Ceramic Light
SS5S1565



Fairford Stone
SS5S1595





Ceramic Sable – Bonded Stone



Century Concrete
SS5S3069



Ceramic Dark
SS5S3566



Mirus Hemp
SS5A6130

Neutral Stones

For 36+ slip resistant and acoustic solutions
see pages 37-39.

Bronze
SS5A4805



Steel
SS5A2804



Ceramic Flint
SS5S2594



Monmouth Slate
SS5S7501



Metropolis Smoke
SS5A2627



Ceramic Sable
SS5S3593





White Marble
SS5S2618

Marble

☑ Available in Large and Small Parquet.

For 36+ slip resistant and acoustic solutions
see pages 37-39.



Rose Marble
SS5S2620



Grey Marble
SS5S2619



Explore Spacia
Marble



Black Marble
SS5S2621



Lichen – Bonded Stone

Tones

☑ Available in Large and Small Parquet.

For 36+ slip resistant and acoustic solutions see pages 37-39.



Explore Spacia
Tones





Terrazzo

For 36+ slip resistant and acoustic solutions
see pages 37-39.



Find out more
about Spacia's two
Terrazzo designs.



Highball
SSSS2608

Julep
SSSS2606

Mimosa
SSSS2607


Negroni
SSSS2604

Gibson
SSSS2603

Sidecar
SSSS2605



Villa Concrete, Capri – Broken Bond with Encaustic Jasper stripping



Amalfi
SS5S2609

Elemental Terrazzo

☑ Available in Large and Small Parquet.

For 36+ slip resistant and acoustic solutions see pages 37-39.


Each Elemental Terrazzo has its own coordinating concrete, making zoning and way finding a breeze.

Villa Concrete
SS5S2612



Rialto Concrete
SS5S2611

Capri
SS5S2610



Find out more about Spacia's two Terrazzo designs.



Stripping

Add contrast, definition or create a grout effect. Choose stripping that complements the tone and materiality of planks and tiles, then combine them in one of our timeless patterns.

Stria Basalt AROSMS43
3.2 mm stripping represented in this example.



Fairford Stone SS5S1595



Example laid in Uniform Block with stripping

Feature stripping is available in the following sizes:*

- 3.2 mm x 914.4 mm
- 6.4 mm x 914.4 mm
- 9.5 mm x 914.4 mm

- 12.7 mm x 914.4 mm
- 19.1 mm x 914.4 mm

*Sizes shown are not actual size

Dark Walnut	AROW7700
Woolwich Concrete	AROSRE31
Cirrus Air	AROW8100
Stucco Putty	AROauc30
Stria Volcanic	AROSMS42
Deptford Concrete	AROSRE29
Polished Silver**	AROAPL32
Pure Plain Black	AROAPN22


Ashdown Oak	AROW8680
Wild Walnut	AROW7620
Mirabelle Creme	AROSMB14
Stria Basalt	AROSMS43
Concrete Pale	AROSCN30
Modernist Frame	AROAMN30
Polished Copper**	AROAPL45
Polished Gold**	AROAPL78

Acoustic backing is not available on stripping

**Straight Grain only

Acoustic

Amtico Acoustic
Turn great looking places
into **great sounding** spaces.



18dB

Specify on demand
Amtico Acoustic is applied in production, removing the need for additional underlay. It enhances the acoustic properties of Spacia LVT by reducing impact sound transmission by up to 18dB and also provides an extra level of underfoot comfort.

Optional Acoustic backing can be specified on all Spacia products except Heritage Oaks and patterns requiring stripping.

What silence looks like.



Learn how we can solve sound transmission issues in your next project



Enhanced performance and protection

Clearly superior resistance.

Flooring fit for the future.

Amtico Bio is our first bio-attributed LVT flooring. Made with renewable biomass derived PVC, which saves more than 90% of the CO₂ emissions compared to traditional fossil fuel based PVC. Amtico Bio offers the same performance and finish with a reduced carbon footprint. We use carefully selected and audited sources of biomass to create the renewable ethylene that goes into our bio-attributed PVC. This includes by-products such as Crude Tall Oil (CTO) from trees and Used Cooking Oil (UCO).

Spacia is available to specify with 42% bio-attributed content.



AMTICO BIO

36+ slip resistant planks and tiles.

Made to the same exacting standards as standard Amtico LVT, Spacia 36+ gives you the performance of slip resistant sheet but with the enhanced design possibilities that LVT planks and tiles bring.

Add an extra level of safety to your next project with our high-performance slip resistant flooring.

Specify Spacia 36+*



WET
PENDULUM
≥36

ENHANCED SLIP RESISTANCE

Amtico Antimicrobial protection.

Spacia is specified with integral, antimicrobial protection.*

We add an ionic silver additive to the urethane coating that provides a hygienic surface where bacteria and viruses will struggle to multiply or survive. Embedded antimicrobials are not designed to replace cleaning and disinfection, but to provide an additional level of protection between regular cleaning cycles in high traffic spaces.

This means Amtico Spacia brings an extra level of defence, giving you peace of mind between cleanings.



24HR PROTECTION**

*All products, except Heritage Oaks, are available in our high-performance 36+ slip resistant flooring and with our antimicrobial protection.



Highball, Stucco Putty stripping – Uniform Tile

**Independently verified against E.Coli and MRSA, to ISO 22196, showing a reduction of >99.9% after 24hrs. Also tested against SARS-CoV-2, to ISO 21702, showing an 85.5% reduction after 24 hours compared to an untreated control, and a reduction of >99.9% against the initial inoculation.


Laying Patterns

Spacia’s flexible plank and tile sizes create floor designs that are simple to specify and easy to install.

Explore all the ways to lay Spacia planks and tiles.
amtico.com/commercial/collections/amtico-spacia/



Broken Bond




Tiles:
304.8 x 457.2 mm / 12 x 18"
609.6 x 914.4 mm / 24 x 36"




Gallery Concrete
SS5S3071

Bonded Stone




Tiles:
304.8 x 304.8 mm / 12 x 12"
457.2 x 457.2 mm / 18 x 18"
914.4 x 914.4 mm / 36 x 36"



Metropolis Ice
SS5A2617

Uniform Block




Tiles:
304.8 x 457.2 mm / 12 x 18"
609.6 x 914.4 mm / 24 x 36"
76.2 x 228.6 mm/ 3 x 9"
101.6 x 457.2 mm/ 4 x 18"
101.6 x 914.4mm / 4 x 36"
184.2 x 1219.2mm / 7.25 x 48"



Horizon
SS5S2634

Uniform Tile



Tiles:
304.8 x 304.8 mm / 12 x 12"
457.2 x 457.2 mm / 18 x 18"
914.4 x 914.4 mm / 36 x 36"
*We recommend installing this size tessellated



Kingham Stone
SS5S1594


Laying Patterns

Spacia’s flexible plank and tile sizes create floor designs that are simple to specify and easy to install.

Explore all the ways to lay Spacia planks and tiles.
amtico.com/commercial/collections/amtico-spacia/



Linear Block




Tiles:
101.6 x 914.4 mm / 4 x 36"
184.2 x 1219.2 mm / 7.25 x 48"
76.2 x 228.6 mm/ 3 x 9"
101.6 x 457.2 mm/ 4 x 18"




Grey Marble with Pure Plain White stripping
SS5S2619

Deck Block




Planks:
101.6 x 914.4 mm / 4 x 36"
184.2 x 1219.2 mm / 7.25 x 48"



Nordic Oak with Stria Volcanic stripping
SS5W2550

Stripwood




Planks:
101.6 x 914.4 mm / 4 x 36"
184.2 x 1219.2 mm / 7.25 x 48"



New England Oak
SS5W2527

Wicket



Planks:
101.6 x 914.4 mm / 4 x 36"
184.2 x 1219.2 mm / 7.25 x 48"



Muted Oak
SS5W3312


Laying Patterns

Spacia’s flexible plank and tile sizes create floor designs that are simple to specify and easy to install.

Explore all the ways to lay Spacia planks and tiles.
amtico.com/commercial/collections/amtico-spacia/



Herringbone Tile




Tile:
609.6 x 914.4 mm / 24 x 36"



Grey Marble with Pure Plain White stripping
SS5S2619

Chequerboard




Tiles:
304.8 x 304.8 mm / 12 x 12"
457.2 x 457.2 mm / 18 x 18"



White Marble / Black Marble
SS5S2618 / SS5S2621

Herringbone Plank




Planks:
101.6 x 914.4 mm / 4 x 36"
184.2 x 1219.2 mm / 7.25 x 48"
304.8 x 457.2 mm / 12 x 18"



New England Oak
SS5W2527


Fieldstone



Tiles:
304.8 x 304.8 mm / 12 x 12"
457.2 x 457.2 mm / 18 x 18"



Fairford Stone with Stria Basalt stripping
SS5S1595



Highlights

Location
Birmingham, UK

Sector
Hospitality & Leisure

Collection
Amtico Spacia 36+

6,400
sq ft total area

36+
Slip resistance

2
Products used

“The Gas Lamp was an important project for Aston Villa FC, Levy UK and Benchmark, bringing an underused area up to high quality hospitality use. The Amtico Spacia 36+ range allowed the flooring to be stylish, functional and cost effective.”

Paul Smith, Projects Director
Benchmark



View this project on
our website



Location
**Herzogenaurach,
Germany**


Sector
Office

Collection
Amtico Spacia

3,300
sq ft total area

**Broken
Bond**
Laying pattern

10
Year commercial
warranty



View this project on
our website



Location
Milton Keynes, UK

Sector
Healthcare

Collection
Amtico Spacia

0.55mm
Wear layer

R10
Slip resistance

Parquet
Laying pattern





Sun Bleached Oak – Stripwood

Highlights

Location
Oxfordshire, UK

Sector
Retail

Collection
Amtico Spacia

“The showroom’s previous floor was not fit for purpose, so durability was a key factor when choosing a replacement. With an established relationship with Amtico on our exhibition displays, we know the quality of the products. By using the Spacia collection in the oak and concrete shades, it really helps to complement Smeg’s semi-industrial look.”

John Davies, Head of Marketing
Smeg UK

2
Products used

400
m² space

2
Laying patterns



Gallery Concrete – Broken Bond



View this project on
our website



Product Availability – Wood

Size & Specification												Laying Patterns						
Single Planks												Laying Patterns						
QGE = Quantum Guard Elite AO = Aluminium Oxide Coating ● = Acoustic backing ■ = 36+ Slip resistant ▲ = Acoustic backing and 36+ Slip resistant												PQ = Parquet BDW = Boardwalk						
Product Name	Product Code	Surface Textures	Surface Coating	Optional Availability	Straight Grain						X Grain		PQ Small	PQ Large	BDW	Optional Availability		
					1016 x 914.4 mm (4 x 36")	184.2 x 1219.2 mm (725 x 48")	304.8 x 304.8 mm (12 x 12")	304.8 x 457.2 mm (12 x 18")	457.2 x 457.2 mm (18 x 18")	609.6 x 914.4 mm (24 x 36")	914.4 x 914.4 mm (36 x 36")	1016 x 914.4 mm (4 x 36")	184.2 x 1219.2 mm (725 x 48")	304.8 x 457.2 mm (12 x 18")	76.2 x 228.6 mm (3 x 9")	1016 x 457.2 mm (4 x 18")	1016 x 914.4 mm (4 x 36") 184.2 x 1219.2 mm (725 x 48")	
Black Walnut	SS5W2534	Tick	QGE	● ■ ▲	•	•									SP122	SP160		● ■ ▲
Blackened Spa Wood	SS5W3025	Barnwood	QGE	● ■ ▲	•	•									SP136	SP174		● ■ ▲
Bleached Elm	SS5W2516	Tick	QGE	● ■ ▲	•	•												
Canopy Oak	SS5W1020	Tick	QGE	● ■ ▲	•	•												
Carriage Oak	SS5W3316	Heritage	AO			•												
Coastal Pine	SS5W3029	Barnwood	QGE	● ■ ▲	•	•									SP127	SP165		● ■ ▲
Credenza Oak	SS5W3035	Barnwood	QGE	● ■ ▲	•	•												
Drift Pine	SS5W3027	Barnwood	QGE	● ■ ▲	•	•												
Dry Cedar	SS5W2535	Barnwood	QGE	● ■ ▲	•	•												
Dusky Walnut	SS5W2542	Tick	QGE	● ■ ▲	•	•												
Eden Oak	SS5W1010	Tick	QGE	● ■ ▲	•	•												
Estuary Pine	SS5W3028	Barnwood	QGE	● ■ ▲	•	•												
Exotic Walnut	SS5W2541	Tick	QGE	● ■ ▲	•	•												
Featured Oak	SS5W2533	Tick / Barnwood	QGE	● ■ ▲	•	•									SP132 SP133	SP170 SP171		● ■ ▲
Forge Oak	SS5W3317	Heritage	AO			•												
Granary Oak	SS5W3318	Heritage	AO			•												
Hampton Oak	SS5W3031	Tick	QGE	● ■ ▲	•	•												
Haven Oak	SS5W3033	Tick	QGE	● ■ ▲	•	•												
Honey Oak	SS5W2504	Tick / Barnwood	QGE	● ■ ▲	•	•									SP128 SP129	SP166 SP167		● ■ ▲
Iced Oak	SS5W3310	Tick	QGE	● ■ ▲		•									SP104	SP140		● ■ ▲
Limed Wood Natural	SS5W2549	Tick	QGE	● ■ ▲	•	•												
Malthouse Oak	SS5W3315	Heritage	AO			•												
Mulled Oak	SS5W3313	Tick	QGE	● ■ ▲		•									SP101	SP137		● ■ ▲
Muted Oak	SS5W3312	Tick	QGE	● ■ ▲		•									SP102	SP138		● ■ ▲
New England Oak	SS5W2527	Tick / Barnwood	QGE	● ■ ▲	•	•												
Noble Oak	SS5W3030	Tick	QGE	● ■ ▲	•	•									SP121	SP159		● ■ ▲
Nordic Oak	SS5W2550	Tick / Barnwood	QGE	● ■ ▲	•	•									SP124 SP125	SP162 SP163		● ■ ▲
Pale Ash	SS5W2518	Tick	QGE	● ■ ▲	•	•									SP120	SP158		● ■ ▲
Powdered Oak	SS5W3311	Tick	QGE	● ■ ▲		•									SP103	SP139		● ■ ▲
Royal Oak	SS5W2530	Tick / Barnwood	QGE	● ■ ▲	•	•									SP134 SP135	SP172 SP173		● ■ ▲
Rustic Barn Wood	SS5W2513	Barnwood	QGE	● ■ ▲	•	•												
Sash Oak	SS5W3032	Tick	QGE	● ■ ▲	•	•												
Scorched Timber	SS5W3024	Barnwood	QGE	● ■ ▲	•	•												
Sherwood Oak	SS5W2532	Tick / Barnwood	QGE	● ■ ▲	•	•												
Smoked Timber	SS5W2652	Barnwood	QGE	● ■ ▲	•	•												
Smoothbark Hickory	SS5W2545	Tick	QGE	● ■ ▲	•	•												
Sun Bleached Oak	SS5W2531	Barnwood	QGE	● ■ ▲	•	•									SP126	SP164		● ■ ▲
Traditional Oak	SS5W2514	Tick / Barnwood	QGE	● ■ ▲	•	•									SP130 SP131	SP168 SP169		● ■ ▲
Urban Salvaged Timber	SS5W3323	Barnwood	QGE	● ■ ▲		•										SP142	SP176	● ■ ▲
Warm Maple	SS5W2502	Tick	QGE	● ■ ▲	•	•												● ■ ▲
Washed Salvaged Timber	SS5W3322	Barnwood	QGE	● ■ ▲		•										SP141	SP175	● ■ ▲
Weathered Oak	SS5W2524	Barnwood	QGE	● ■ ▲	•	•												
White Ash	SS5W2540	Barnwood	QGE	● ■ ▲	•	•									SP123	SP161		
White Maple	SS5W2654	Tick	QGE	● ■ ▲	•	•												
White Oak	SS5W2548	Tick	QGE	● ■ ▲	•	•												
Worn Ash	SS5W2539	Barnwood	QGE	● ■ ▲	•	•												

Product Availability – Stone

Size & Specification												Laying Patterns					
Single Tiles												Laying Patterns					
QGE = Quantum Guard Elite AO = Aluminium Oxide Coating ● = Acoustic backing ■ = 36+ Slip resistant ▲ = Acoustic backing and 36+ Slip resistant												PQ = Parquet BDW = Boardwalk					
Product Name	Product Code	Finish	Surface Coating	Optional Availability	Straight Grain						X Grain		PQ Small	PQ Large	BDW	Optional Availability	
					1016 x 914.4 mm (4 x 36")	1842 x 1219.2 mm (725 x 48")	304.8 x 304.8 mm (12 x 12")	304.8 x 4572 mm (12 x 18")	4572 x 4572 mm (18 x 18")	609.6 x 914.4 mm (24 x 36")	914.4 x 914.4 mm (36 x 36")	1016 x 914.4 mm (4 x 36")	1842 x 1219.2 mm (725 x 48")	304.8 x 4572 mm (12 x 18")	762 x 2286 mm (3 x 9")	1016 x 4572 mm (4 x 18")	1016 x 914.4 mm (4 x 36") 1842 x 1219.2 mm (725 x 48")
Amalfi	SS5S2609	Ceramic	QGE	●■▲					●	●	●						
Black Marble	SS5S2621	Ceramic	QGE	●■▲			●	●	●					SP106	SP144		●■▲
Bronze	SS5A4805	Ceramic	QGE	●■▲				●									
Capri	SS5S2610	Ceramic	QGE	●■▲					●	●	●						
Century Concrete	SS5S3069	Ceramic	QGE	●■▲				●	●	●	●						
Ceramic Dark	SS5S3566	Ceramic	QGE	●■▲			●	●	●								
Ceramic Ecru	SS5S3592	Ceramic	QGE	●■▲			●	●	●								
Ceramic Flint	SS5S2594	Ceramic	QGE	●■▲			●	●	●								
Ceramic Frost	SS5S1591	Ceramic	QGE	●■▲			●	●	●								
Ceramic Light	SS5S1565	Ceramic	QGE	●■▲			●	●	●								
Ceramic Sable	SS5S3593	Ceramic	QGE	●■▲			●	●	●								
Dry Stone Alba	SS5S4401	Ceramic	QGE	●■▲			●	●	●								
Earth	SS5S2637	Ceramic	QGE	●■▲			●	●	●	●	●			SP112	SP150		●■▲
Fairford Stone	SS5S1595	Ceramic	QGE	●■▲			●	●	●	●	●						
Gallery Concrete	SS5S3071	Ceramic	QGE	●■▲			●	●	●	●	●						
Gibson	SS5S2603	Ceramic	QGE	●■▲			●	●	●	●							
Grey Marble	SS5S2619	Ceramic	QGE	●■▲			●	●	●					SP108	SP146		●■▲
Highball	SS5S2608	Ceramic	QGE	●■▲			●	●	●	●							
Horizon	SS5S2634	Ceramic	QGE	●■▲			●	●	●	●	●			SP113	SP151		●■▲
Julep	SS5S2606	Ceramic	QGE	●■▲			●	●	●	●							
Kingham Stone	SS5S1594	Ceramic	QGE	●■▲			●	●	●	●	●						
Lichen	SS5S2629	Ceramic	QGE	●■▲			●	●	●	●	●			SP115	SP153		●■▲
Limestone Cool	SS5S1561	Ceramic	QGE	●■▲			●	●	●								
Linear Stone Shale	SS5S3606	Ceramic	QGE	●■▲			●	●				●					
Metropolis Ice	SS5A2617	Ceramic	QGE	●■▲				●	●								
Metropolis Smoke	SS5A2627	Ceramic	QGE	●■▲				●	●								
Mimosa	SS5S2607	Ceramic	QGE	●■▲			●	●	●	●							
Mirus Cotton	SS5A6110	Ceramic	QGE	●■▲	●	●						●					
Mirus Feather	SS5A6120	Ceramic	QGE	●■▲	●	●						●					
Mirus Hemp	SS5A6130	Ceramic	QGE	●■▲	●	●						●					
Monmouth Slate	SS5S7501	Riven	QGE	●■▲			●	●	●								
Monument Concrete	SS5S3072	Ceramic	QGE	●■▲				●	●	●	●						
Negroni	SS5S2604	Ceramic	QGE	●■▲			●	●	●	●							
Pampas	SS5S2635	Ceramic	QGE	●■▲			●	●	●	●	●			SP110	SP148		●■▲
Peak	SS5S2633	Ceramic	QGE	●■▲			●	●	●	●	●			SP111	SP149		●■▲
Plaza Concrete	SS5S3070	Ceramic	QGE	●■▲			●	●	●	●	●						
Rialto Concrete	SS5S2611	Ceramic	QGE	●■▲			●	●	●	●	●			SP118	SP156		●■▲
Rose Marble	SS5S2620	Ceramic	QGE	●■▲			●	●	●					SP107	SP145		●■▲
Salt	SS5S2632	Ceramic	QGE	●■▲			●	●	●	●	●			SP117	SP155		●■▲
Sea	SS5S2631	Ceramic	QGE	●■▲			●	●	●	●	●			SP114	SP152		●■▲
Sidecar	SS5S2605	Ceramic	QGE	●■▲			●	●	●	●							
Snow	SS5S2628	Ceramic	QGE	●■▲			●	●	●	●	●			SP116	SP154		●■▲
Stanton Stone	SS5S1593	Ceramic	QGE	●■▲			●	●	●	●	●						
Steel	SS5A2804	Ceramic	QGE	●■▲				●									
Villa Concrete	SS5S2612	Ceramic	QGE	●■▲			●	●	●	●	●			SP119	SP157		●■▲
Vista	SS5S2636	Ceramic	QGE	●■▲			●	●	●	●	●			SP109	SP147		●■▲
White Marble	SS5S2618	Ceramic	QGE	●■▲			●	●	●					SP105	SP143		●■▲
Zinc	SS5A3620	Ceramic	QGE	●■▲				●									

Packaging

Standard Spacia Product									
	1016 x 914.4 mm (4 x 36")	1842 x 1219.2 mm (725 x 48")	3048 x 3048 mm (12 x 12")	3048 x 4572 mm (12 x 18")	4572 x 4572 mm (18 x 18")	6096 x 914.4 mm (24 x 36")	9144 x 914.4 mm (36 x 36")	Small Parquet 762 x 2286 mm (3 x 9")	Large Parquet 1016 x 4572 mm (4 x 18")
Details									
Plank/Tile per Box	27	9	27	18	12	5	8	144	54
M² per Box	2.5	2	2.5	2.5	2.5	2.78	6.69	2.5	2.5
Weight (kg) per Box	9.14	7.53	8.88	9.13	9.37	11.13	24.41	9.16	9.13
Boxes per Pallet	72	90	72	72	72	40	20	72	72
M² per Pallet	180	180	180	180	180	111.20	133.80	180	180
Weight (kg) per Pallet	676.75	699.31	677.66	676.14	692.98	476.36	526.70	677.93	676.14

The 4 Heritage Oaks are boxed in 2.25 m² in 184.2 x 1219.2 mm (7.25 x 48")

Acoustic Spacia Product									
	1016 x 914.4 mm (4 x 36")	1842 x 1219.2 mm (725 x 48")	3048 x 3048 mm (12 x 12")	3048 x 4572 mm (12 x 18")	4572 x 4572 mm (18 x 18")	6096 x 914.4 mm (24 x 36")	9144 x 914.4 mm (36 x 36")	Small Parquet 2286 x 762 mm (9 x 3")	Large Parquet 4572 x 1016 mm (18 x 4")
Details									
Plank/Tile per Box	20	6	20	13	9	4	6	108	39
M² per Box	1.86	1.34	1.86	1.81	1.88	2.23	5.01	1.88	1.81
Weight (kg) per Box	7.24	5.37	7.25	7.05	7.54	9.63	19.84	7.33	7.04
Boxes per Pallet	72	90	72	72	72	40	20	72	72
M² per Pallet	133.92	120.6	133.92	130.32	135.36	89.2	100.2	135.36	130.32
Weight (kg) per Pallet	539.95	512.56	540.86	525.84	561.58	407.10	415.29	546.53	525.44

Accreditations

Our ethos is to combine creativity and innovation with the highest levels of quality – design, manufacturing, product and service.



View our technical information on our website.



	Amtico Spacia has been certified to achieve the M1 building materials emissions classification for indoor air quality from the Finnish Information Foundation RTS.		Amtico Spacia products have been UPEC classified, therefore conforming to local French certification.
	Amtico is a member of the professional association for flexible floor covering manufacturers in Germany.		The CE mark is a confirmation by Amtico that our products are in compliance with European health, safety and environmental requirements (as required by Council Directive 89/106/EEC and detailed in EN 14041).
	Our quality system complies with BS EN ISO 9001 and is certified by LRQA.		The UKCA mark is a confirmation by Amtico that our products meet the UK Regulations as defined in the relevant Statutory Instruments (SIs).
	Amtico Spacia products are third-party certified for low-VOC emissions contributing towards good indoor air quality.		Amtico International GmbH is a member of the DGNB German Sustainable Building Council.
	Amtico Spacia products are manufactured using ortho-phthalate free plasticisers.		Our environmental system complies with ISO 14001 and is certified by BSI
	Amtico Spacia complies with Indoor Air Comfort Gold version 6.0 and is certified as a low-emissions product contributing to a healthy indoor environment.		Amtico International are proud to be affiliated with the Valobat Eco Organisation, whose objective is to collect and organise the end of life cycle of Amtico products in France.
	Amtico International is a member of the European Resilient Flooring Manufacturers' Institute.		



Amtico UK & European Sales
Solar Park Southside
Solihull, West Midlands
B90 4SH, UK
+44 (0) 121 745 0800
samples@amtico.com

**Amtico International
Sucursal En España**
Calle Boix Y Morer 6, 2 Derecha
28003 Madrid, Spain
+34 (0) 91 335 24 94
info@amtico.es

Amtico Head Office
Kingfield Road
Coventry
CV6 5AA, UK
+44 (0) 24 7686 1400
samples@amtico.com

Amtico International Germany
Grand Bateau
Hammer Straße 17
40219 Düsseldorf
Germany
+49 (0) 211 361 155 0
info@amtico.de

Amtico International France
36 Avenue Hoche
75008 Paris
France
+33 (0) 1 55 38 95 70
info@amtico.fr

Amtico International Scandinavia
St Olofsgatan 11A
753 21 Uppsala
Sweden
46 (0) 8 584 233 24
info@amtico.se

Amtico International Asia
Room 905
9/F., OfficePlus @ Wan Chai
303 Hennessy Road, Hong Kong
+852 2327 7703
samples@amtico.com

**Amtico International
Middle East, Africa & India**
8th Floor
Building Number 2
J&G DMCC, Dubai, UAE
+971 (0) 50 192 33 46
samples@amtico.com

**Amtico International Pty Ltd
Australia & New Zealand**
Unit 1, 40 Mill Street
Yarrabilba 4207
Australia
australia.customerservice@amtico.com

Click
Call
Chat
Specify
Spacia.

amtico.com

Visit amtico.com for more information on our product range, inspiring ideas, maintenance and installation advice. Every effort is made to achieve accurate reproduction of products in this brochure, however printing limitations can be misleading. Selection of products should be made from actual samples. Samples are small pieces cut from standard tiles. They give only a general indication of the design. Tone and shading can vary slightly from batch to batch and it is not possible to guarantee that the sample will exactly match the material supplied. The policy of the Company is one of continuous development and improvement and the right is reserved to add or delete from the range or change patterns without prior notification. All metric sizes are rounded. All products are manufactured in line with EN ISO 10582, EN13845 and EN651. Brochure correct at the time of printing.

