

The Signature
Specification
Guide

Amtico
Signature
Collection

Premium LVT flooring

UK made to order

1.0 mm wear layer

Create

Contents



Authentic to the last detail	4
Signature Planks & Tiles	6
Wood	8
Stone	22
Colour & Abstract	34
Laying Patterns	44
Chevron	46
Gable Parquet	48
Versailles Parquet	50
Large Parquet	52
Small Parquet	54
Chantilly Weave	56
Halcyon Pleat	58
Basket Weave	60
French Weave	62
Castel Weave	64
Pleat	66
Random Plank	68
Gatsby Square	70
Large Flagstone	72
Extra Large & Grand Flagstone	74
Random Stone	76
Key Stone Small	78
Key Stone Mini	80
Check	82
Frame	84
Polygon Key Mini	86
Lune	88
Arc	90
Simple Patterns	92
Projects	94
Bespoke	98
Stripping	102
Borders, Corners & Motifs	104
Making flooring fit for the future	106
Enhanced Protection	110
Technical Information	112

Authentic to the last detail

18_{dB}

Acoustic backing can be specified on all standard planks and tiles, Large & Small Parquet without stripping and all Herringbone sizes.

36⁺

36+ can be specified on all standard planks & tiles and all patterns.



Available to specify with 61% bio-attributed content.*

* Signature 36+ has 61% bio-attributed content, Signature Acoustic has 59% bio-attributed content.



20YR COMMERCIAL
WARRANTY



ANTIMICROBIAL

Realise stunning spaces with Amtico Signature.

An extraordinary collection of premium flooring, crafted and hand-finished down to the smallest details. For stunning flooring, designed to create beautifully considered spaces.

18 | Unique Palettes

22 | Signature Laying
Patterns

Signature Planks

Choose any of our Signature planks and tiles in a single colour and size to create a floor with simple elegance. Or design your own combinations of colours and sizes to make something that will deliver real impact.



& Tiles



Cool One | Wood



Solar Pine
AROW8240



Henley Oak
AROW8740



Pearl Wash Wood
AROW8220



Alpine Oak
AROW8330



Lock Oak
AROW8360



Halo Pine
AROW8250



Friston Oak
AROW8750



Shore Oak
AROW8180



Nomad Oak
AROW8140



Tollymore Oak
AROW8760

Available to be specified with:

18_{dB} 36⁺



Tollymore Oak
AROW8760

Stripwood & Gable Parquet Large DC537

Cool Two | Wood



Chiltern Oak
AROW8630



Laughton Oak
AROW8810



Marlow Oak
AROW8690



Hamsterley Oak
AROW8770



Wharf Oak
AROW8190



White Wash Wood
AROW7680



Malvern Oak
AROW8670



Wilverley Oak
AROW8870



Verbier Oak
AROW8320



Harbour Pine
AROW7990

Available to be specified with:

18_{dB} 36⁺



Laughton Oak
AROW8810

Stripwood & Small Parquet EP113 Feature



Malvern Oak
AROW8670

Stripwood

Neutral One | Wood




Wharncliffe Oak
AROW8640



Toulouse Oak
AROW8430



Dockland Oak
AROW8350



Chateau Oak
AROW7980



Sanctuary Grain
AROW8270



Ashdown Oak
AROW8680



Parisian Pine
AROW7860



Versailles Oak
AROW8460



Reclaimed Oak
AROW7870



Aspen Oak
AROW8310

Available to be specified with:

18_{dB} 36⁺



Ashdown Oak
AROW8680

Stripwood & Plank Border



Dockland Oak
AROW8350

Stripwood

Neutral Two | Wood



Lime Washed Wood
AR0W7660



Salted Oak
AR0W8210



Trevellas Oak
AR0W8890



Kirby Oak
AR0W8780



Darley Oak
AR0W8710



Union Oak
AR0W8370



Clowes Oak
AR0W8650



Buckingham Oak
AR0W8880



Grizedale Oak
AR0W8830



Berwick Oak
AR0W8850



Hackfall Oak
AR0W8790



Fumed Oak
AR0W7900

Available to be specified with:

18_{dB} 36⁺



Clowes Oak
AR0W8650

Chevron DC501 & Stripwood

Mid-Tone One | Wood



Rotterdam Oak
AROW8440



Aged Oak
AROW7710



Brushed Oak
AROW7910



Bordeaux Oak
AROW8450



Chargot Oak
AROW8720



Tay Oak
AROW8900



Farmhouse Oak
AROW7630



Dry Teak
AROW7810



Manor Oak
AROW7970



Classic Walnut
AROW7610




Wild Walnut
AROW7620



Regency Walnut
AROW8200

Available to be specified with:

18_{dB} 36⁺



Bordeaux Oak
AROW8450

Stripwood

Mid-Tone Two | Wood



Cornish Oak
AROW8150



Buxton Oak
AROW8660



Natural Limed Wood
AROW7690



Golden Oak
AROW7510



French Oak
AROW7830



Yarncliff Oak
AROW8800



Blonde Oak
AROW7460



Worn Oak
AROW7390



White Oak
AROW7520



Fresh Oak
AROW7440



York Oak
AROW8160



Whinlatter Oak
AROW8730

Available to be specified with:

18_{dB} 36⁺



Buxton Oak
AROW8660

Stripwood & Chantilly Weave DC538

Warm | Wood



Classic Oak
AROW7430



Fused Birch
AROW7500



American Oak
AROW7050



Light Cherry
AROW7060



Teak
AROW6990



Antique Wood
AROW7190



Priory Oak
AROW7200



Merbau
AROW7590



Dark Walnut
AROW7700



Rosewood
AROW7070

Available to be specified with:

18_{dB} 36⁺



Classic Oak
AROW7430

Stripwood

Neutral One | Stone



Waterloo Concrete
AROSSC10



Wilmcote Limestone
AROSLS44



Tyne Concrete
AROSRE30



Ratley Stone
AROSMA37



Woolwich Concrete
AROSRE31



Basilica Salt
AROSBS12



Kura Kala
AROSKU31



Sloane Concrete
AROSSC37



Stria Basalt
AROSMS43

Available to be specified with:

18_{dB} 36⁺



Ratley Stone
AROSMA37

Sloane Concrete
AROSSC37

Broken Bond Bespoke Curve

Neutral Two | Stone



Honed Limestone Natural
AROSLH11



Crema Marfil
AROSMF47



Stria Sediment
AROSMS14



Packwood Stone
AROSSC12



Coombe Stone
AROSTE49



Ilmington Stone
AROSSC01



Mirabelle Creme
AROSMB14



Blockley Stone
AROSMA31



Riverstone Tundra
AROSRS40

* Except Honed Limestone Natural

Available to be specified with:

18_{dB} 36⁺



Blockley Stone
AROSMA31

Broken Bond & Polished Gold Feature Stripping

Cool One | Stone



Shottery Limestone
AROSLK15



Berkswell Stone
AROSMA32



Basilica Shell
AROSBS41



Whitley Stone
AROSMA36



Chatham Concrete
AROSRE33



Kura Caraway
AROSKU38



Deptford Concrete
AROSRE29



Exposed Concrete
AROSEC30



Stria Rock
AROSMS33

Available to be specified with:

18_{dB} 36⁺



Chatham Concrete
AROSRE33

Grand Flagstone DC582


Cool Two | Stone



Onyx Marble
AROSOM30



Worn Concrete
AROSTL39



Cumbrian Slate
AROSL32



Stria Ash
AROSMS13



Kura Anise
AROSKU39



Kentmere Slate
AROSL37



Stria Volcanic
AROSMS42



Kura Opium
AROSKU49



Graphite Slate
AROSL23

Available to be specified with:

18_{dB} 36⁺



Kentmere Slate
AROSL37

Linear Block & Modernist Frame Stripping

Tempus | Stone



Tempus Soothe
AROSTE31



Tempus Harmony
AROSTE41



Tempus Embrace
AROSTE30



Tempus Restore
AROSTE29




Tempus Pause
AROSTE37



Tempus Echo
AROSTE13

Available to be specified with:

18_{dB} 36⁺



Tempus Restore
AROSTE29

Uniform Tile & Graphite Slate Feature Stripping

Marble | Stone



Nero Classic Marble
AR0SCA20




Bianca Classic Marble
AR0SOM10



Rosa Classic Marble
AR0SCA53



Grigio Classic Marble
AR0SCA37



Verde Classic Marble
AR0SCA87



Tortora Classic Marble
AR0SCA44

Available to be specified with:

18_{dB}

36⁺



Tortora Classic Marble
AR0SCA44



Broken Bond & Bianca Classic Marble Stripping

Verde Classic Marble
AR0SCA87



Herringbone Tile & Woolwich Concrete Stripping

Available to be specified with:

18_{dB}

36⁺



Grey Burnished Metal
AR0ARH13



Black Burnished Metal
AR0ARH29



Verdigris Burnished Metal
AR0ARH33



Russet Burnished Metal
AR0ARH44



Black Burnished
Metal
AR0ARH29

Uniform Tile



Russet Burnished
Metal
AR0ARH44



Black Burnished
Metal
AR0ARH29



Uniform Tile Bespoke

Available to be specified with:

18_{dB} 36⁺



Trace Kaolin
AROW8390



Trace Scree
AROW8400



Trace Kaolin
AROW8390



Trace Scree
AROW8400

Trace Scree
AROW8400



Stripwood

Available to be specified with:

18_{dB} 36⁺



Modernist Spire
AROAMN38



Modernist Frame
AROAMN30




Modernist Vault
AROAMN13



Modernist Vault
AROAMN13

Broken Bond

Colour Edit | Colour & Abstract




Stucco Opaline
AROUC88



Stucco Quartz
AROUC15



Diffusion Husk
ARODF27



Stucco Nutmeg
AROUC89




Stucco Roselle
AROUC51



Stucco Haze
AROUC40




Diffusion Chambray
ARODF39



Stucco Huckleberry
AROUC92



Stucco Flax
AROUC39



Stucco Indigo
AROUC91



Diffusion Lux
ARODF38



Stucco Pebble
AROUC38




Diffusion Eve
ARODF54



Encaustic Storm
AROEN98



Diffusion Loam
ARODF04



Diffusion Cashew
ARODF41



Diffusion Malt
ARODF44



Diffusion Aloe
ARODF88



Encaustic Okra
AROEN18



Encaustic Kyanite
AROEN83



Stucco Mist
AROUC93



Stucco Putty
AROUC30



Stucco Clay
AROUC47



Encaustic Jasper
AROEN45



Stucco Elk
AROUC32

Available to be specified with:

18_{dB} 36⁺



Diffusion Malt
ARODF44



Diffusion Chambray
ARODF39



Diffusion Cashew
ARODF41



Stucco Pebble
AROUC38



Stucco Clay
AROUC47



Stucco Elk
AROUC32



Bespoke & EP126 Pleat Insert

Spectrum | Colour & Abstract



Napoli
AR0ACF75



Dublin
AR0ACF83



Glint Orb
AR0AGG11



Sevilla
AR0ACF64



Helsinki
AR0ACF90



Glint Void
AR0AGG22



Rio
AR0ACF56



Marrakech
AR0ACF51



Paris
AR0ACF92

Available to be specified with:

18_{dB}



Glint Void
AR0AGG22

Glint Orb
AR0AGG11

Bespoke Pleat



20YR COMMERCIAL
WARRANTY

Create incredible spaces with our laying patterns

Explore our extended range of exclusive laying patterns, crafted to reflect the refined beauty of our Signature products.

Personalise them with your own choice of colours and textures, or select from more than 100 predefined floors in the Designers' Choice Collection.

118 | Designers' Choice
Patterns




Chevron

A timeless pattern with a comforting feel. The proportion and angle of Chevron's planks have been carefully considered to create an elegant pattern with a relaxed sense of directionality.

PLANK SIZE: 87.98 x 457.2 mm


1 Product
EP501

Laying Pattern:




DC528


Designers' Choice




DC501
Clowes Oak




DC527
Buxton Oak




DC528
Henley Oak



DC529
Hackfall Oak



Achieve this floor



Hackfall Oak
AROW8790




DC533, Kura Kala Feature Stripping & Marlow Oak Stripwood

Gable Parquet

This mirrored pattern is bold, beautiful and highly useable. Small-scale pieces are reflected in four-part modules, which when laid together, create a beautiful floor that cleverly maximises tonal variety to give the illusion of depth.


MODULE SIZE: 304.8 x 304.8 mm
1 Product Small
EP503

Laying Pattern:




MODULE SIZE: 457.2 x 457.2 mm
1 Product Large
EP504

Laying Pattern:



Designers' Choice


SMALL:




DC503
Wharncliffe Oak




DC533
Marlow Oak



DC534
Worn Oak




DC535
Rotterdam Oak




DC536
Charget Oak

LARGE:



DC504
Brushed Oak



DC537
Tollymore Oak

Achieve this floor



Worn Oak
AROW7390






DC541 & Diffusion Loam Uniform Block

Versailles Parquet

Taking direct inspiration from the famous parquetry flooring in the Palace of Versailles, this framed pattern elevates single-colour woods by showcasing their tonal variation and beautiful grain detailing.

MODULE SIZE: 691.1 x 691.1 mm
1 Product
EP505

Laying Pattern:



Designers' Choice



DC505
Trevellas Oak



DC541
Hackfall Oak




DC542
Clowes Oak



DC543
Friston Oak

Achieve this floor



Clowes Oak
AROW8650





EP107 Whinlatter Oak, Stripwood Feature Area & Polished Gold Stripping


Large Parquet

Delivering sophistication and performance in equal measure, there's a reason this pattern has endured. Timeless single-colour designs celebrate the varied beauty of woods, while stone and stripping combinations introduce a contemporary edge.

PLANK SIZE: 114.3 x 457.2 mm

1 Product
EP107


Laying Pattern:




PLANK SIZE: 114.3 x 457.2 mm

1 Product with stripping
EP225


Laying Pattern:




Designers' Choice




DC467
Bordeaux Oak




DC520
Berwick Oak



DC521
Buxton Oak




DC522
Golden Oak




DC523
Yarncliff Oak



DC524
Grigio Classic Marble
Modernist Frame (stripping)




DC525
Deptford Concrete
Stucco Putty (stripping)



DC526
Grey Burnished Metal
Polished Copper (stripping)



Achieve this floor



Berwick Oak
AROW8850



EP113 Laughton Oak Feature Area, Stripwood & Feature Stripping

Small Parquet

Small pieces are laid in this timeless parquetry pattern, perfect for emphasising tonal variation and creating fantastic movement across a floor.


PLANK SIZE: 76.2 x 228.6 mm

1 Product
EP113


2 Products
EP110

3 Products
EP112


Laying Pattern:




Designers' Choice




DC337
Aged Oak




DC515
Wharnccliffe Oak




DC516
Marlow Oak



DC517
Hackfall Oak




DC518
Fresh Oak



DC519
York Oak



Achieve this floor



Hackfall Oak
AROW8790

+

Tempus Restore
Feature Stripping



DC539 & Whinlatter Oak Stripwood


Chantilly Weave

Chantilly Weave is a traditional pattern that draws inspiration from historical parquetry influences, but is still incredibly versatile in its application. Intersecting pieces weave seamlessly to create fantastic movement across a floor.

MODULE SIZE: 4572 x 4572 mm

1 Product
EP502

Laying Pattern:



Designers' Choice



DC502
Malvern Oak



DC538
Buxton Oak




DC539
Whinlatter Oak



DC540
Aged Oak

Achieve this floor



Aged Oak
AROW7710





EP421 Reclaimed Oak

Halcyon Pleat

Celebrate the grain of characterful woods in a simple rustic style. Halcyon Pleat is a large-scale chevron pattern that creates a laid-back flow and an artisan feel.


PLANK SIZE: 131.98 x 914.4 mm

1 Product
EP421


Laying Pattern:



Designers' Choice



DC423
Rotterdam Oak




DC530
Loughton Oak




DC531
Tollymore Oak



DC532
Whinlatter Oak



Achieve this floor



Whinlatter Oak
AROW8730



DC544, Mitred Plank Border & Polished Silver Feature Stripping


Basket Weave

Proportionally balanced Basket Weave is a fine example of Amtico's precision cutting capabilities, with a decorative layering effect that makes it a design classic.


PLANK SIZES: 76.2 x 304.8 mm
114.3 x 114.3 mm (key)

1 Product
EP101
2 Products
EP104


Laying Pattern:




Designers' Choice




DC101
Parisian Pine




DC331
Sanctuary Grain



DC544
Buxton Oak




DC545
Henley Oak
Chateau Oak (key)




DC546
Yarncliff Oak
Bordeaux Oak (key)

Achieve this floor



Yarncliff Oak
AROW8800



Bordeaux Oak
AROW8450





DC549, Kirby Oak Stripwood & Polished Copper Feature Stripping


French Weave

From a foundation of parquetry, we've adapted classic wood floor geometry for modern day use. Both elegant and robust, French Weave is a crafted, woven pattern with the strength and balance for large spaces.

MODULE SIZE: 609.6 x 609.6 mm

1 Product
EP272

Laying Pattern:



Designers' Choice




DC277
Brushed Oak



DC322
Verbier Oak



DC547
Henley Oak



DC548
Trevellas Oak




DC549
Kirby Oak



DC550
Yarncliff Oak



Achieve this floor



Trevellas Oak
AROW8890



DC552 & Henley Oak Plank Border

Castel Weave


Inspired by the beauty of traditional parquetry, Castel Weave is designed to champion wood grains and textures.

Rich and indulgent, this pattern can feel either rustic or refined, depending on product choice.


TILE SIZES: 304.8 x 457.2 mm
107.7 x 431.0 mm

1 Product
EP263

Laying Pattern:




Designers' Choice



DC266
White Wash Wood




DC317
Farmhouse Oak




DC318
Alpine Oak



DC551
Clowes Oak



DC552
Henley Oak



DC553
Hackfall Oak



Achieve this floor



Clowes Oak
AROW8650

+

Polished Gold
Feature Stripping



DC558 & Cornish Oak Stripwood

Pleat

Pleat is beautiful in its simplicity. With perfectly precise angles and neatly balanced design, this is a contemporary take on traditional parquet.


PLANK SIZE: 114.3 x 457.2 mm

- 1 Product
EP126
- 3 Products
EP127
- 5 Products
EP129


Laying Pattern:



Designers' Choice




DC126
Cornish Oak




DC555
Shottery Limestone
Whitley Stone
Berkswell Stone




DC557
Waterloo Concrete
Encaustic Storm
Diffusion Lux
Diffusion Eve
Diffusion Loam




DC554
Friston Oak



DC556
Coombe Stone
Woolwich Concrete
Stucco Nutmeg



DC558
Diffusion Malt
Encaustic Okra
Shottery Limestone
Diffusion Aloe
Coombe Stone



Achieve this floor



Coombe Stone
AROSTE49



Woolwich Concrete
AROSRE31



Stucco Nutmeg
AROAUC89



DC627

Random Plank

Featuring three different plank sizes, Random Plank cleverly splices single-colour woods to create floors with lovely tonal variety and a real sense of movement.

PLANK SIZES: 76.2 x 914.4 mm
114.3 x 914.4 mm
152.4 x 914.4 mm

1 Product Small
EP515

Laying Pattern:




PLANK SIZES: 76.2 x 914.4 mm
152.4 x 914.4 mm
228.6 x 914.4 mm

1 Product Large
EP525

Laying Pattern:




Designers' Choice



DC626
Darley Oak



DC627
Berwick Oak



DC628
Hamsterley Oak



Achieve this floor



Darley Oak
AROW8710




DC571 & Stucco Pebble Uniform Tile Perimeter

Gatsby Square

Gatsby Square’s angular shapes create a bold pattern that can hold its own in large spaces, or beautifully isolate feature areas. This pattern works wonderfully in modern hospitality and retail environments.


MODULE SIZE: 304.8 x 304.8 mm
2 Products Small
EP510

Laying Pattern:



MODULE SIZE: 457.2 x 457.2 mm
2 Products Large
EP511

Laying Pattern:



Designers’ Choice

SMALL:




DC510
Deptford Concrete
Diffusion Loam




DC567
Encaustic Kyanite
Diffusion Eve



DC568
Stucco Haze
Stucco Opaline




DC569
Diffusion Husk
Diffusion Cashew



DC570
Onyx Marble
Nero Classic Marble

LARGE:



DC511
Onyx Marble
Grigio Classic Marble



DC571
Encaustic Kyanite
Stucco Pebble



Achieve this floor



Onyx Marble
AROSOM30



Grigio Classic Marble
AGOSCA37



DC577


Large Flagstone

An enduring stone pattern, Flagstone's elegant combination of rectangular and square tiles elevates spaces with its familiar weighty geometries.


TILE SIZES: 152.4 x 152.4 mm
152.4 x 304.8 mm
304.8 x 304.8 mm
152.4 x 457.2 mm
304.8 x 457.2 mm
457.2 x 457.2 mm

1 Product Large with stripping
EP137


Laying Pattern:



Designers' Choice




DC576
Wilmcote Limestone
Stucco Putty (stripping)



DC578
Kura Kala
Exposed Concrete (stripping)



DC577
Modernist Spire
Stria Volcanic (stripping)



DC579
Kentmere Slate
Stucco Putty (stripping)



Achieve this floor



Kentmere Slate
AR0SSL37

+

Stucco Putty
Stripping



DC583, Concrete Pale Divider Strip & Kura Anise Broken Bond Field


Extra Large & Grand Flagstone

Flood a space with Extra Large & Grand Flagstone. By using varied tile sizes in a non-modular repeat, these two large-scale patterns have been designed to flow effortlessly, for a practical solution in large-volume areas.

TILE SIZES: 450.85 x 679.45 mm
450.85 x 450.85 mm
222.25 x 450.85 mm
222.25 x 222.25 mm
6.35 x 914.4 mm (stripping)

1 Product with stripping Extra Large
EP512


Laying Pattern:



TILE SIZES: 603.25 x 908.05 mm
603.25 x 603.25 mm
298.45 x 603.25 mm
298.45 x 298.45 mm
6.35 x 914.4 mm (stripping)

1 Product with stripping Grand
EP513

Laying Pattern:




Designers' Choice

EXTRA LARGE:



DC512
Shottery Limestone
Woolwich Concrete (stripping)



DC580
Whitley Stone
Modernist Frame (stripping)




DC581
Modernist Frame
Diffusion Husk (stripping)

GRAND:



DC513
Berkswell Stone
Stucco Putty (stripping)



DC582
Chatham Concrete
Tyne Concrete (stripping)



DC583
Kura Anise
Concrete Pale (stripping)



Achieve this floor



Modernist Frame
AROAMN30

+

Diffusion Husk
Stripping



DC574


Random Stone

Its ability to throw unbroken lines across a space makes Random Stone sympathetic to a variety of architectural styles. Highly useable, this pattern works hard in shopping centre circulation areas, airports and other vast spaces.


TILE SIZES: 152.4 x 457.2 mm
228.6 x 457.2 mm
304.8 x 457.2 mm

1 Product with stripping
EP179


Laying Pattern:




Designers' Choice




DC362
Tempus Pause
Modernist Vault (stripping)



DC572
Shottery Limestone
Woolwich Concrete (stripping)



DC573
Coombe Stone
Stria Basalt (stripping)



DC574
Whitley Stone
Berkswell Stone (stripping)



DC575
Kentmere Slate
Stucco Putty (stripping)

Achieve this floor



Shottery Limestone
AROSLK15

+

Woolwich Concrete
Stripping





DC593 & Nero Classic Marble Uniform Tile


Key Stone Small

Unashamedly influenced by Victorian style, Key Stone is an iconic pattern that delivers timeless elegance and classic geometry.


TILE SIZES: 304.8 x 304.8 mm
63.5 x 63.5 mm (key)

2 Products Small
EP514

Laying Pattern:



Designers' Choice



DC514
Shottery Limestone
Sloane Concrete (key)



DC593
Bianca Classic Marble
Nero Classic Marble (key)



DC594
Waterloo Concrete
Diffusion Aloe (key)



Achieve this floor




Waterloo Concrete
AROSSC10



Diffusion Aloe
AROADF88

+ Field



Yarncliff Oak
AROW8800
Stripwood

+

Diffusion Aloe
Feature Stripping



DC592, Woolwich Concrete Perimeter, Encaustic Storm Feature Stripping & Hamsterley Oak Stripwood

Key Stone Mini


At a smaller scale, Key Stone Mini still retains the essence of a classic ceramic floor, whilst making bolder statements through heritage colour palettes or contemporary colour combinations.

TILE SIZES: 152.4 x 152.4 mm
50.8 x 50.8 mm (key)

2 Products
EP305

3 Products
EP309

Laying Pattern:



Designers' Choice



DC587
Onyx Marble
Tempus Embrace (key)



DC588
Nero Classic Marble
Onyx Marble (key)



DC589
Waterloo Concrete
Stucco Haze (key)



DC590
Stucco Quartz
Stucco Flax (key)



DC591
Diffusion Husk
Stucco Mist
Stucco Roselle (key)



DC592
Woolwich Concrete
Tyne Concrete
Encaustic Storm (key)



Achieve this floor



Onyx Marble
AR0AOM30



Tempus Embrace
AR0STE30



DC598 & Hamsterley Oak Stripwood

Check

Check is a timeless pattern that works brilliantly across any space. Choose classic monochrome or opt for a bolder, brighter ceramic feel with our fresh new colour combinations.

TILE SIZES: 152.4 x 152.4 mm

2 Products
EP299

3 Products
EP303


Laying Pattern:



Designers' Choice




DC595
Sloane Concrete
Packwood Stone




DC596
Diffusion Loam
Waterloo Concrete



DC597
Diffusion Chambray
Stucco Opaline
Stucco Haze



DC598
Encaustic Okra
Stucco Opaline
Diffusion Aloe



Achieve this floor




Diffusion Loam
AROADF04



Waterloo Concrete
AROSSC10

+ Field



Berwick Oak
AROW8850
Stripwood

+

Polished Gold
Feature Stripping



DC584


Frame

Modern and architectural, Frame is a contemporary take on a familiar flagstone. This balanced mid-scale pattern offers new opportunities for designing big spaces.

MODULE SIZES: 609.6 x 914.4 mm (module)
201.4 x 455.4 mm (tile)
404.6 x 914.4 mm (tile)
3.2 x 914.4 mm (stripping)

1 Product with stripping
EP405
3 Products with stripping
EP407


Laying Pattern:




Designers' Choice



DC407
Tempus Soothe
Tempus Harmony
Tempus Embrace
Tempus Soothe (stripping)



DC585
Woolwich Concrete
Stria Basalt (stripping)



DC584
Nero Classic Marble
Cirrus Air (stripping)



DC586
Chatham Concrete
Tyne Concrete
Deptford Concrete
Modernist Frame (stripping)



Achieve this floor



Chatham Concrete
AROSRE33



Tyne Concrete
AROSRE30



Deptford Concrete
AROSRE29

+

Modernist Frame
Stripping



DC600 Kirby Oak Field & Stucco Putty Feature Stripping


Polygon Key Mini

A bold geometric pattern with a strong ceramic aesthetic, Polygon Key Mini has been designed to designate beautiful focal points and feature areas.

TILE SIZES: 114.3 x 228.6 mm
80.77 x 80.77 mm

3 Products
EP461


Laying Pattern:



Designers' Choice



DC599
Stucco Nutmeg
Diffusion Husk (key)
Coombe Stone



DC601
Diffusion Chambray
Diffusion Lux (key)
Shottery Limestone



DC600
Berkswell Stone
Stucco Putty (key)
Stria Rock



DC602
Grigio Classic Marble
Rosa Classic Marble (key)
Bianca Classic Marble



Achieve this floor



Diffusion Chambray
AROADF39



Diffusion Lux
AROADF38



Shottery Limestone
AROSLK15

+

Diffusion Chambray
Feature Stripping




DC563 & Onyx Marble Uniform Tile Field

Lune

Achieve bold and beautiful zoning solutions with the circular geometries of Lune. Available in a selection of neutral and contemporary stone combinations, Lune is designed to work as a feature area amongst a field of complementary stone, to create chic areas of interest.


MODULE SIZE: 228.6 x 228.6 mm
2 Products Small
EP506

Laying Pattern:




MODULE SIZE: 457.2 x 457.2 mm
2 Products Large
EP507

Laying Pattern:



Designers' Choice


SMALL:



DC506
Bianca Classic Marble
Nero Classic Marble




DC559
Waterloo Concrete
Stucco Haze



DC560
Stucco Flax
Stucco Haze



DC561
Stucco Clay
Diffusion Cashew



DC562
Diffusion Lux
Stucco Opaline

LARGE:



DC507
Bianca Classic Marble
Verde Classic Marble



DC563
Grigio Classic Marble
Onyx Marble



Achieve this floor



Waterloo Concrete
ARO5SC10



Stucco Haze
ARO4UC40




DC509 & Tempus Embrace Uniform Block Field

Arc

Rows of oscillating semi-circles create a fantastic pattern that's full of life and movement. This on-trend pattern provides a perfect solution for zoning or wayfinding.


MODULE SIZE: 152.4 x 304.8 mm
3 Products Small
EP508

Laying Pattern:



MODULE SIZE: 304.8 x 609.6 mm
3 Products Large
EP509

Laying Pattern:




Designers' Choice

SMALL:



DC508
Tempus Harmony
Waterloo Concrete
Tempus Embrace



DC564
Onyx Marble
Tempus Embrace
Tempus Soothe



DC565
Diffusion Chambray
Diffusion Lux
Stucco Opaline

LARGE:



DC509
Tempus Soothe
Tempus Embrace
Tempus Pause



DC566
Grigio Classic Marble
Onyx Marble
Nero Classic Marble




Achieve this floor



Onyx Marble
AROSOM30



Tempus Embrace
AROSTE30



Tempus Soothe
AROSTE31

Create your Signature style




Tortora Classic Marble Broken Bond & Bianca Marble Stripping


Choose from our unrivalled range of designs to create your Signature style.

Pick any of our standard planks and tiles in one colour and size to create simple elegance, or use imaginative combinations of colours and sizes to create floors that deliver real impact.


These are just a few examples, discover more at:
amtico.com/commercial/laying-patterns



Herringbone Tile




Stripwood



Broken Bond



Uniform Tile



Uniform Block



Deckblock

Tay Oak - Stripwood




Projects

Lee & Thompson



Location: Fitzrovia, UK
Sector: Office
Products & Laying Patterns:
 Basilica Salt, Kura Opium & Kura
 Caraway - Key Stone Mini EP309
 Brushed Oak - French Weave DC277



Laufsteg

Location: Augsburg, Germany
Sector: Retail
Products & Laying Patterns:
 Stucco Clay, Stucco Putty &
 Stucco Quartz - Bespoke
 Tempus Soothe & Stucco
 Pebble - Key Stone Small EP514





Ramside Hall Hotel

Location: Durham, UK
Sector: Hospitality & Leisure
Products & Laying Patterns:
 Reclaimed Oak - Castel Weave
 EP263



Collaborative Space, Ávoris Headquarters

Location: Palma de Mallorca, Spain
Sector: Office
Products & Laying Patterns:
 Stucco Indigo, Stucco Clay,
 Modernist Vault & Stucco
 Quartz - Bespoke
 Tempus Soothe - Stripwood




Image credits: CMV architects
 Photographer: Juan Giribe

Bespoke

Begin with your imagination

Bold, creative and beautiful – a bespoke floor is the ultimate design statement. Thanks to our advanced manufacturing capabilities, our R&D and Design teams can work from a simple sketch, a colour swatch or even a sample material to transform your unique vision into reality.




Laurent Sailla

The French artist Laurent Sailla recently collaborated with us at EquipHotel.

The artist allowed our design department to create some of his work, using our custom cutting techniques and versatile colour palettes to illustrate our extraordinary high-performance flooring; versatile enough to transform any space.





How we turn your ideas into reality

Whether you're looking for a unique product or a completely bespoke floor design, bring us your creative inspiration and we will work with you to achieve your vision.

Our CAD Team

Amtico's highly-skilled CAD team turn your product selection and layout into something our design and manufacturing experts can make a reality. Designs change and grow as we work with them, so the drawing approval process is collaborative, expertly managed through your Amtico Commercial Project Specialist, ensuring that the final floor meets your unique design vision.

Cutting

Amtico is renowned for its advanced finishing techniques. Over 50 years of manufacturing expertise means we can add the fine detail to your big ideas, creating bespoke shapes and products that no-one else can.

Installation

Our quality team test lays every bespoke design floor in our UK factory before shipping, to check for accuracy.

This crucial part of the process means you can rely on Amtico flooring to fit first time and meet your project deadlines, even with the most intricate design.

Find out more at: amtico.com/commercial/collections/bespoke/

Stripping

Add contrast, create a grout effect or define tile and plank shapes with Amtico feature stripping. Available in a choice of five sizes.

Feature stripping is available in the following sizes, 2 mm thickness*



Dark Walnut
AROW7700



Woolwich Concrete
AROSRE31



Cirrus Air
AROW8100




Stucco Putty
AROAUC30



Stria Volcanic
AROSMS42



Deptford Concrete
AROSRE29



Polished Silver**
AROAPL32



Pure Plain Black
AROAPN22

*Sizes shown are not actual size.
** Straight Grain only
Acoustic backing is not available on stripping



Ashdown Oak
AROW8680



Wild Walnut
AROW7620



Mirabelle Creme
AROSMB14



Stria Basalt
AROSMS43



Concrete Pale
AROSCN30



Modernist Frame
AROAMN30



Polished Copper**
AROAPL45



Polished Gold**
AROAPL78



19.1 mm x 914.4 mm



12.7 mm x 914.4 mm



9.5 mm x 914.4 mm



6.4 mm x 914.4 mm



3.2 mm x 914.4 mm

This is a small representation of available feature stripping, for full stripping availability please visit amtico.com/commercial/stripping-motifs-and-borders/



DC526

Borders

Simple or elaborate, Art Deco or Gothic, define a floor with an Amtico border.




Square
Border AR0B6200
25.4 mm x 889.0 mm
Corner AR0C62S0



Metro
Border AR0B6600
572 mm x 914.4 mm



Pyramid
Border AR0B6000
50.8 mm x 914.4 mm
Corner AR0C60S0




Pinstripe Fine
Border AR0B4001
88.9 mm x 914.4 mm
Corner AR0C4001



Piping
Border AR0B6400
12.7 mm x 914.4 mm



Broad Stripe
Border AR0B6500
50.8 mm x 914.4 mm
Corner AR0C65S0



Deco Pleat
Border AR0B680B
88.9 mm x 914.4 mm
Corner AR0C68SB




Pinstripe Medium
Border AR0B4002
88.9 mm x 914.4 mm
Corner AR0C4002



Offset Stripe
Border AR0B7000
38.1 mm x 914.4 mm



Gothic Arch
Border AR0B670B
101.6 mm x 914.4 mm
Corner AR0C67SB



Mondrian
Border AR0B7400
76.2 mm x 914.4 mm
Corner AR0C74A0



Pinstripe Bold
Border AR0B4000
88.9 mm x 914.4 mm
Corner AR0C4001



Bevelled Diamond
Border AR0B270B
76.2 mm x 914.4 mm
Corner AR0C27SB



Art Deco
Border AR0B5100
88.9 mm x 914.4 mm
Corner AR0C51S0

Motifs

Bring a focal point and individuality to a space with a Signature motif.



Small Star
AR0MC300
Products Shown:
Chiltern Oak
Wilverley Oak
Wharf Oak
Tempus Restore
Diameter
609.6 mm



Apollo
AR0MC230
Products Shown:
Onyx Marble
Grigio Classic Marble
Diameter
889.0 mm



Constellation
AR0MC210
Products Shown:
Clowes Oak
Wharnccliffe Oak
Diameter
889.0 mm




Lotus
AR0MC400
Products Shown:
Cornish Oak
Rotterdam Oak
Fumed Oak
Brushed Oak
Diameter
914.4 mm



Octavia Large
AR0MC600
Products Shown:
Onyx Marble
Stucco Pebble
Graphite Slate
Diameter
1676.4 mm

Also Available as:

Octavia Small
AR0MC500
Products Shown:
Onyx Marble
Stucco Pebble
Graphite Slate
Diameter
838.2 mm



DC501

Making flooring fit for the future

amtico bio

Specify Amtico Bio

Now available across the Signature collection, Amtico Bio is our first bio-attributed LVT flooring. Bio-attributed PVC, from renewable biomass sources, saves over 90% of the CO₂ during its manufacture compared to PVC made from fossil fuels. Amtico Bio uses bio-attributed PVC, offering the same performance and finish with a reduced carbon footprint.

Carefully selected and audited sources of renewable biomass are used to create the ethylene which is converted into our bio-attributed PVC. This includes sources such as crude tall oil (CTO) or used cooking oil (UCO), with traceability guaranteed throughout every stage via our ISCC Plus accreditation.

Available to specify with 61% bio-attributed content on all standard planks & tiles and patterns.*

* Signature 36+ has 61% bio-attributed content, Signature Acoustic has 59% bio-attributed content.



SPECIFY AMTICO BIO FOR A LOWER CARBON FOOTPRINT

36+ slip resistant planks and tiles

Safety flooring with design sophistication

UK manufactured with the same extraordinary design philosophy that defines Amtico Signature, Signature 36+ delivers sustainable slip resistance and meets the requirements of the enhanced slip standard, but with the enhanced design possibilities of LVT planks and tiles.

For more information please visit amtico.com/safety-flooring

36⁺

Please note that the surface texture on Signature 36+ products differs from standard Signature products due to the inclusion of slip-resistant particles.

Halo Pine - Large Parquet



ANTIMICROBIAL



PLANKS AND TILES



WET PENDULUM ≥36

What silence looks like

Amtico Acoustic enhances the acoustic properties of LVT by reducing impact sound transmission by up to 18dB and also provides an extra level of comfort underfoot. Amtico Acoustic brings another layer of performance and versatility to the design, quality and durability you expect from Amtico.



AMTICO ACOUSTIC



SOUND REDUCTION

The closed cell 1 mm foam layer reduces impact sound transmission by up to 18 dB.



LOW FATIGUE

The closed cell foam structure can help increase comfort and reduce fatigue in high-traffic areas.

Union Oak - Stripwood




Antimicrobial Protection

Amtico Signature products are specified as standard with integral antimicrobial protection.

We add an ionic silver additive to the urethane coating that provides a hygienic surface where bacteria and viruses will struggle to multiply or survive.

Embedded antimicrobials are not designed to replace cleaning and disinfection, but to provide an additional level of protection between regular cleaning cycles in high traffic spaces.

Under independent tests this additive in our product has been proven to reduce bacteria growth by >99.9% over 24 hours when compared with an identical control without the additive. All our antimicrobial flooring achieves the same levels of high performance against sunlight, scuffs and stains and heavy traffic that you expect from any Amtico floor.



Independently verified against E.Coli and MRSA, to ISO 22196, showing a reduction of >99.9% after 24hrs. Also tested against SARS-CoV-2, to ISO 21702, showing an 85.5% reduction after 24 hours compared to an untreated control, and a reduction of >99.9% against the initial inoculation.



Tempus Echo, Tempus Pause & Modernist Frame Stripping - Bespoke

Product Availability / Wood

Size & Specification				Straight Grain Tiles								Straight Grain Planks					Cross Grain			Design Options				
Product Name	Product code	Surface Textures	Price Point	152.4 x 4572 mm (6 x 18")	304.8 x 304.8 mm (12 x 12")	304.8 x 4572 mm (12 x 18")	4572 x 4572 mm (18 x 18")	304.8 x 609.6 mm (12 x 24")	4572 x 914.4 mm (18 x 36")	609.6 x 914.4 mm (24 x 36")	914.4 x 914.4 mm (36 x 36")	76.2 x 914.4 mm (3 x 36")	114.3 x 914.4 mm (4.5 x 36")	152.4 x 914.4 mm (6 x 36")	184.2 x 1219.2 mm (7.25 x 48")	228.6 x 1219.2 mm (9 x 48")	76.2 x 914.4 mm (3 x 36")	114.3 x 914.4 mm (4.5 x 36")	152.4 x 914.4 mm (6 x 36")	Stripping	Cross-Grain Stripping	Laying Patterns	Bespoke Design	Borders and Motifs
Aged Oak	AROW7710	Barnwood	Standard									*	*	*	*	*				*	*	*	*	*
Alpine Oak	AROW8330	Rustic Wood	Standard									*	*	*	*	*				*	*	*	*	*
American Oak	AROW7050	Tick	Standard									*	*	*	*	*				*	*	*	*	*
Antique Wood	AROW7190	Tick	Standard									*	*	*						*	*	*	*	*
Ashdown Oak	AROW8680	Natural Wood	Standard									*	*	*	*	*				*	*	*	*	*
Aspen Oak	AROW8310	Rustic Wood	Standard									*	*	*	*	*				*	*	*	*	*
Berwick Oak	AROW8850	Rustic Wood	Standard									*	*	*	*	*				*	*	*	*	*
Blonde Oak	AROW7460	Tick	Standard									*	*	*						*	*	*	*	*
Bordeaux Oak	AROW8450	Rustic Wood	Standard									*	*	*	*	*				*	*	*	*	*
Brushed Oak	AROW7910	Barnwood	Standard									*	*	*	*	*				*	*	*	*	*
Buckingham Oak	AROW8880	Natural Wood	Standard										*	*	*	*				*	*	*	*	*
Buxton Oak	AROW8660	Natural Wood	Standard									*	*	*	*	*				*	*	*	*	*
Chargot Oak	AROW8720	Tick	Standard									*	*	*	*	*				*	*	*	*	*
Chateau Oak	AROW7980	Tick	Standard										*	*	*	*				*	*	*	*	*
Chiltern Oak	AROW8630	Natural Wood	Standard									*	*	*	*	*				*	*	*	*	*
Classic Oak	AROW7430	Tick	Standard									*	*	*						*	*	*	*	*
Classic Walnut	AROW7610	Tick	Standard									*	*	*	*	*				*	*	*	*	*
Clawes Oak	AROW8650	Natural Wood	Standard									*	*	*	*	*				*	*	*	*	*
Cornish Oak	AROW8150	Tick	Standard									*	*	*	*	*				*	*	*	*	*
Dark Walnut	AROW7700	Tick	Standard									*	*	*	*	*				*	*	*	*	*
Darley Oak	AROW8710	Natural Wood	Standard									*	*	*	*	*				*	*	*	*	*
Dockland Oak	AROW8350	Rustic Wood	Standard									*	*	*	*	*				*	*	*	*	*
Dry Teak	AROW7810	Tick	Standard									*	*	*	*	*				*	*	*	*	*
Farmhouse Oak	AROW7630	Tick	Standard									*	*	*	*	*				*	*	*	*	*
French Oak	AROW7830	Barnwood	Standard									*	*	*	*	*				*	*	*	*	*
Fresh Oak	AROW7440	Tick	Standard									*	*	*						*	*	*	*	*
Friston Oak	AROW8750	Rustic Wood	Standard										*	*	*	*				*	*	*	*	*
Fumed Oak	AROW7900	Barnwood	Standard									*	*	*	*	*				*	*	*	*	*
Fused Birch	AROW7500	Tick	Standard		*		*					*	*	*	*	*	*	*	*	*	*	*	*	*
Golden Oak	AROW7510	Tick	Standard									*	*	*	*	*				*	*	*	*	*
Grizedale Oak	AROW8830	Rustic Wood	Standard									*	*	*	*	*				*	*	*	*	*
Hackfall Oak	AROW8790	Rustic Wood	Standard										*	*	*	*				*	*	*	*	*
Halo Pine	AROW8250	Natural Wood	Standard									*	*	*	*	*				*	*	*	*	*
Hamsterley Oak	AROW8770	Rustic Wood	Standard										*	*	*	*				*	*	*	*	*
Harbour Pine	AROW7990	Barnwood	Standard									*	*	*	*	*				*	*	*	*	*
Henley Oak	AROW8740	Rustic Wood	Standard										*	*	*	*				*	*	*	*	*
Kirby Oak	AROW8780	Rustic Wood	Standard										*	*	*	*				*	*	*	*	*
Laughton Oak	AROW8810	Rustic Wood	Standard									*	*	*	*	*				*	*	*	*	*

Product Availability / Wood

Size & Specification				Straight Grain Tiles								Straight Grain Planks					Cross Grain			Design Options				
Product Name	Product code	Surface Textures	Price Point	152.4 x 4572 mm (6 x 18")	304.8 x 304.8 mm (12 x 12")	304.8 x 4572 mm (12 x 18")	4572 x 4572 mm (18 x 18")	304.8 x 609.6 mm (12 x 24")	4572 x 914.4 mm (18 x 36")	609.6 x 914.4 mm (24 x 36")	914.4 x 914.4 mm (36 x 36")	76.2 x 914.4 mm (3 x 36")	114.3 x 914.4 mm (4.5 x 36")	152.4 x 914.4 mm (6 x 36")	184.2 x 1219.2 mm (7.25 x 48")	228.6 x 1219.2 mm (9 x 48")	76.2 x 914.4 mm (3 x 36")	114.3 x 914.4 mm (4.5 x 36")	152.4 x 914.4 mm (6 x 36")	Stripping	Cross-Grain Stripping	Laying Patterns	Bespoke Design	Borders and Motifs
Light Cherry	AROW7060	Tick	Standard									*	*	*						*	*	*	*	*
Lime Washed Wood	AROW7660	Tick	Standard									*	*	*	*	*				*	*	*	*	*
Lock Oak	AROW8360	Rustic Wood	Standard									*	*	*	*	*				*	*	*	*	*
Malvern Oak	AROW8670	Natural Wood	Standard									*	*	*	*	*				*	*	*	*	*
Manor Oak	AROW7970	Tick	Standard										*	*	*	*				*	*	*	*	*
Marlow Oak	AROW8690	Natural Wood	Standard									*	*	*	*	*				*	*	*	*	*
Merbau	AROW7590	Tick	Standard									*	*	*	*	*				*	*	*	*	*
Natural Limed Wood	AROW7690	Tick	Standard									*	*	*	*	*				*	*	*	*	*
Nomad Oak	AROW8140	Barnwood	Standard									*	*	*	*	*				*	*	*	*	*
Parisian Pine	AROW7860	Tick	Standard									*	*	*	*	*				*	*	*	*	*
Pearl Wash Wood	AROW8220	Tick	Standard									*	*	*	*	*				*	*	*	*	*
Priory Oak	AROW7200	Tick	Standard									*	*	*	*	*				*	*	*	*	*
Reclaimed Oak	AROW7870	Barnwood	Standard									*	*	*	*	*				*	*	*	*	*
Regency Walnut	AROW8200	Tick	Standard									*	*	*	*	*				*	*	*	*	*
Rosewood	AROW7070	Tick	Standard									*	*	*						*	*	*	*	*
Rotterdam Oak	AROW8440	Rustic Wood	Standard									*	*	*	*	*				*	*	*	*	*
Salted Oak	AROW8210	Barnwood	Standard									*	*	*	*	*				*	*	*	*	*
Sanctuary Grain	AROW8270	Natural Wood	Standard									*	*	*	*	*				*	*	*	*	*
Shore Oak	AROW8180	Tick	Standard									*	*	*	*	*				*	*	*	*	*
Solar Pine	AROW8240	Natural Wood	Standard									*	*	*	*	*				*	*	*	*	*
Tay Oak	AROW8900	Natural Wood	Standard									*	*	*	*	*				*	*	*	*	*
Teak	AROW6990	Tick	Standard									*	*	*	*	*				*	*	*	*	*
Tollymore Oak	AROW8760	Rustic Wood	Standard										*	*	*	*				*	*	*	*	*
Toulouse Oak	AROW8430	Rustic Wood	Standard									*	*	*	*	*				*	*	*	*	*
Trevellas Oak	AROW8890	Natural Wood	Standard										*	*	*	*				*	*	*	*	*
Union Oak	AROW8370	Rustic Wood	Standard									*	*	*	*	*				*	*	*	*	*
Verbier Oak	AROW8320	Rustic Wood	Standard									*	*	*	*	*				*	*	*	*	*
Versailles Oak	AROW8460	Rustic Wood	Standard									*	*	*	*	*				*	*	*	*	*
Wharf Oak	AROW8190	Tick	Standard									*	*	*	*	*				*	*	*	*	*
Wharcliffe Oak	AROW8640	Natural Wood	Standard									*	*	*	*	*				*	*	*	*	*
Whinlatter Oak	AROW8730	Rustic Wood	Standard										*	*	*	*				*	*	*	*	*
White Oak	AROW7520	Tick	Standard									*	*	*	*	*				*	*	*	*	*
White Wash Wood	AROW7680	Tick	Standard									*	*	*	*	*				*	*	*	*	*
Wild Walnut	AROW7620	Tick	Standard									*	*	*	*	*				*	*	*	*	*
Wilverley Oak	AROW8870	Natural Wood	Standard										*	*	*	*				*	*	*	*	*
Worn Oak	AROW7390	Tick	Standard									*	*	*	*	*				*	*	*	*	*
Yarnclyff Oak	AROW8800	Rustic Wood	Standard										*	*	*	*				*	*	*	*	*
York Oak	AROW8160	Tick	Standard									*	*	*	*	*				*	*	*	*	*

Product Availability / Stone

Size & Specification				Straight Grain Tiles								Straight Grain Planks					Cross Grain						Design Options				
				152.4 x 4572 mm (6 x 18")	304.8 x 304.8 mm (12 x 12")	304.8 x 4572 mm (12 x 18")	457.2 x 4572 mm (18 x 18")	304.8 x 609.6 mm (12 x 24")	457.2 x 914.4 mm (18 x 36")	609.6 x 914.4 mm (24 x 36")	914.4 x 914.4 mm (36 x 36")	76.2 x 914.4 mm (3 x 36")	114.3 x 914.4 mm (4.5 x 36")	152.4 x 914.4 mm (6 x 36")	184.2 x 1219.2 mm (7.25 x 48")	228.6 x 1219.2 mm (9 x 48")	304.8 x 4572 mm (12 x 18")	304.8 x 609.6 mm (12 x 24")	457.2 x 914.4 mm (18 x 36")	609.6 x 914.4 mm (24 x 36")	76.2 x 914.4 mm (3 x 36")	114.3 x 914.4 mm (4.5 x 36")	152.4 x 914.4 mm (6 x 36")	Stripping	Cross-Grain Stripping	Laying Patterns	Bespoke Design
Product Name	Product code	Surface Textures	Price Point																								
Basilica Salt	AR0SBS12	Ceramic	Standard	*	*	*	*	*	*	*	*												*	*	*	*	*
Basilica Shell	AR0SBS41	Ceramic	Standard	*	*	*	*	*	*	*	*												*	*	*	*	*
Berkswell Stone	AR0SMA32	Ceramic	Standard			*		*	*		*										*	*	*	*	*	*	*
Bianca Classic Marble	AR0SOM10	Ceramic	Standard	*	*	*	*	*	*	*	*		*	*									*	*	*	*	*
Blockley Stone	AR0SMA31	Ceramic	Standard			*		*	*		*										*	*	*	*	*	*	*
Chatham Concrete	AR0SRE33	Ceramic	Standard	*	*	*	*	*	*	*	*	*	*	*									*	*	*	*	*
Coombe Stone	AR0STE49	Ceramic	Standard	*	*	*	*	*	*				*										*	*	*	*	*
Crema Marfil	AR0SMF47	Ceramic	Standard	*	*	*	*	*	*	*													*	*	*	*	*
Cumbrian Slate	AR0SSL32	Ceramic	Standard	*	*	*	*		*							*	*	*	*				*	*	*	*	*
Deptford Concrete	AR0SRE29	Ceramic	Standard	*	*	*	*	*	*	*	*	*	*	*									*	*	*	*	*
Exposed Concrete	AR0SEC30	Ceramic	Standard	*	*	*	*	*	*	*	*			*									*	*	*	*	*
Graphite Slate	AR0SSL23	Ceramic	Standard	*	*	*	*		*			*	*	*			*	*	*	*	*	*	*	*	*	*	*
Grigio Classic Marble	AR0SCA37	Ceramic	Standard	*	*	*	*	*	*	*	*		*	*									*	*	*	*	*
Honed Limestone Natural	AR0SLH11	Ceramic	Standard	*	*	*	*	*																			
Ilmington Stone	AR0SSC01	Ceramic	Standard	*	*	*	*	*	*	*	*		*	*									*	*	*	*	*
Kentmere Slate	AR0SSL37	Riven Marble	Standard	*	*	*	*	*	*	*													*	*	*	*	*
Kura Anise	AR0SKU39	Ceramic	Standard	*	*	*	*	*	*	*	*			*		*							*	*	*	*	*
Kura Caraway	AR0SKU38	Ceramic	Standard	*	*	*	*	*	*	*	*			*		*							*	*	*	*	*
Kura Kala	AR0SKU31	Ceramic	Standard	*	*	*	*	*	*	*	*			*		*							*	*	*	*	*
Kura Opium	AR0SKU49	Ceramic	Standard	*	*	*	*	*	*	*	*			*		*							*	*	*	*	*
Mirabelle Creme	AR0SMB14	Ceramic	Standard	*	*	*	*	*	*	*	*			*		*							*	*	*	*	*
Nero Classic Marble	AR0SCA20	Ceramic	Standard	*	*	*	*	*	*	*	*		*	*									*	*	*	*	*
Onyx Marble	AR0SOM30	Ceramic	Standard	*	*	*	*	*				*		*									*	*	*	*	*
Packwood Stone	AR0SSC12	Ceramic	Standard	*	*	*	*	*	*	*	*		*	*									*	*	*	*	*
Ratley Stone	AR0SMA37	Ceramic	Standard			*		*	*		*										*	*	*	*	*	*	*
Riverstone Tundra	AR0SRS40	Ceramic	Standard		*	*	*	*	*				*		*		*				*	*	*	*	*	*	*
Rosa Classic Marble	AR0SCA53	Ceramic	Standard	*	*	*	*	*	*	*	*		*	*									*	*	*	*	*
Shottery Limestone	AR0SLK15	Ceramic	Standard	*	*	*	*	*	*	*	*		*										*	*	*	*	*
Sloane Concrete	AR0SSC37	Ceramic	Standard	*	*	*	*	*	*	*	*		*	*									*	*	*	*	*
Stria Ash	AR0SMS13	Ceramic	Standard	*	*	*	*	*	*	*	*		*		*	*		*			*	*	*	*	*	*	*
Stria Basalt	AR0SMS43	Ceramic	Standard	*	*	*	*	*	*	*	*		*	*		*	*		*		*	*	*	*	*	*	*
Stria Rock	AR0SMS33	Ceramic	Standard	*	*	*	*	*	*	*	*		*		*	*		*			*	*	*	*	*	*	*
Stria Sediment	AR0SMS14	Ceramic	Standard	*	*	*	*	*	*	*	*		*		*	*		*			*	*	*	*	*	*	*
Stria Volcanic	AR0SMS42	Ceramic	Standard	*	*	*	*	*	*	*	*		*		*	*		*			*	*	*	*	*	*	*
Tempus Echo	AR0STE13	Ceramic	Standard	*	*	*	*	*	*			*	*	*			*	*		*	*	*	*	*	*	*	*
Tempus Embrace	AR0STE30	Ceramic	Standard	*	*	*	*	*	*			*	*	*			*	*		*	*	*	*	*	*	*	*
Tempus Harmony	AR0STE41	Ceramic	Standard	*	*	*	*	*	*			*	*	*			*	*		*	*	*	*	*	*	*	*
Tempus Pause	AR0STE37	Ceramic	Standard	*	*	*	*	*	*			*	*	*			*	*		*	*	*	*	*	*	*	*

Product Availability / Stone

Size & Specification				Straight Grain Tiles								Straight Grain Planks				Cross Grain						Design Options																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
				152.4 x 4572 mm (6 x 18")		304.8 x 304.8 mm (12 x 12")		304.8 x 4572 mm (12 x 18")		457.2 x 4572 mm (18 x 18")		304.8 x 609.6 mm (12 x 24")		457.2 x 914.4 mm (18 x 36")		609.6 x 914.4 mm (24 x 36")		914.4 x 914.4 mm (36 x 36")		76.2 x 914.4 mm (3 x 36")		114.3 x 914.4 mm (4.5 x 36")		152.4 x 914.4 mm (6 x 36")		184.2 x 1219.2 mm (7.25 x 48")		228.6 x 1219.2 mm (9 x 48")		304.8 x 4572 mm (12 x 18")		304.8 x 609.6 mm (12 x 24")		457.2 x 914.4 mm (18 x 36")		609.6 x 914.4 mm (24 x 36")		76.2 x 914.4 mm (3 x 36")		114.3 x 914.4 mm (4.5 x 36")		152.4 x 914.4 mm (6 x 36")		Stripping		Cross-Grain Stripping		Laying Patterns		Bespoke Design		Borders and Motifs																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
Product Name	Product code	Surface Textures	Price Point																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					

Product Availability / Colour & Abstract

Size & Specification				Straight Grain Tiles								Straight Grain Planks					Cross Grain			Design Options				
				152.4 x 457.2 mm (6 x 18")	304.8 x 304.8 mm (12 x 12")	304.8 x 457.2 mm (12 x 18")	457.2 x 457.2 mm (18 x 18")	304.8 x 609.6 mm (12 x 24")	457.2 x 914.4 mm (18 x 36")	609.6 x 914.4 mm (24 x 36")	914.4 x 914.4 mm (36 x 36")	76.2 x 914.4 mm (3 x 36")	114.3 x 914.4 mm (4.5 x 36")	152.4 x 914.4 mm (6 x 36")	184.2 x 1219.2 mm (7.25 x 48")	228.6 x 1219.2 mm (9 x 48")	304.8 x 457.2 mm (12 x 18")	114.3 x 914.4 mm (4.5 x 36")	152.4 x 914.4 mm (6 x 36")	Stripping	Cross-Grain Stripping	Laying Patterns	Bespoke Design	Borders and Motifs
Product Name	Product code	Surface Textures	Price Point																					
Black Burnished Metal	AR0ARH29	Ceramic	Standard	•	•	•	•	•	•	•			•	•					•	•	•	•	•	
Diffusion Aloe	AR0ADF88	Ceramic	Standard	•	•	•	•	•	•	•	•	•	•	•					•	•	•	•	•	
Diffusion Cashew	AR0ADF41	Ceramic	Standard	•	•	•	•	•	•	•	•	•	•	•					•	•	•	•	•	
Diffusion Chambray	AR0ADF39	Ceramic	Standard	•	•	•	•	•	•	•	•	•	•	•					•	•	•	•	•	
Diffusion Eve	AR0ADF54	Ceramic	Standard	•	•	•	•	•	•	•	•	•	•	•					•	•	•	•	•	
Diffusion Husk	AR0ADF27	Ceramic	Standard	•	•	•	•	•	•	•	•	•	•	•					•	•	•	•	•	
Diffusion Loam	AR0ADF04	Ceramic	Standard	•	•	•	•	•	•	•	•	•	•	•					•	•	•	•	•	
Diffusion Lux	AR0ADF38	Ceramic	Standard	•	•	•	•	•	•	•	•	•	•	•					•	•	•	•	•	
Diffusion Malt	AR0ADF44	Ceramic	Standard	•	•	•	•	•	•	•	•	•	•	•					•	•	•	•	•	
Dublin	AR0ACF83	Ceramic	Advanced	•	•	•	•	•	•										•	•	•	•	•	
Encaustic Jasper	AR0AEN45	Ceramic	Standard	•	•	•	•	•	•	•	•	•	•	•					•	•	•	•	•	
Encaustic Kyanite	AR0AEN83	Ceramic	Standard	•	•	•	•	•	•	•	•	•	•	•					•	•	•	•	•	
Encaustic Okra	AR0AEN18	Ceramic	Standard	•	•	•	•	•	•	•	•	•	•	•					•	•	•	•	•	
Encaustic Storm	AR0AEN98	Ceramic	Standard	•	•	•	•	•	•	•	•	•	•	•					•	•	•	•	•	
Glint Orb	AR0AGG11	Ceramic	Advanced	•	•	•	•	•	•					•					•	•	•	•	•	
Glint Void	AR0AGG22	Ceramic	Advanced	•	•	•	•	•	•					•					•	•	•	•	•	
Grey Burnished Metal	AR0ARH13	Ceramic	Standard	•	•	•	•	•	•	•	•		•	•					•	•	•	•	•	
Helsinki	AR0ACF90	Ceramic	Advanced	•	•	•	•	•	•			•	•	•					•	•	•	•	•	
Marrakech	AR0ACF51	Ceramic	Advanced	•	•	•	•	•	•			•	•	•					•	•	•	•	•	
Modernist Frame	AR0AMN30	Ceramic	Standard	•	•	•	•	•	•					•					•	•	•	•	•	
Modernist Spire	AR0AMN38	Ceramic	Standard	•	•	•	•	•	•					•					•	•	•	•	•	
Modernist Vault	AR0AMN13	Ceramic	Standard	•	•	•	•	•	•					•					•	•	•	•	•	
Napoli	AR0ACF75	Ceramic	Advanced	•	•	•	•	•	•			•	•	•					•	•	•	•	•	
Paris	AR0ACF92	Ceramic	Advanced	•	•	•	•	•	•			•	•	•					•	•	•	•	•	
Rio	AR0ACF56	Ceramic	Advanced	•	•	•	•	•	•			•	•	•					•	•	•	•	•	
Russet Burnished Metal	AR0ARH44	Ceramic	Standard	•	•	•	•	•	•	•	•		•	•					•	•	•	•	•	
Sevilla	AR0ACF64	Ceramic	Advanced	•	•	•	•	•	•			•	•	•					•	•	•	•	•	
Stucco Clay	AR0AUC47	Ceramic	Standard	•	•	•	•	•	•	•	•	•	•	•					•	•	•	•	•	
Stucco Elk	AR0AUC32	Ceramic	Standard	•	•	•	•	•	•	•	•	•	•	•					•	•	•	•	•	
Stucco Flax	AR0AUC39	Ceramic	Standard	•	•	•	•	•	•	•	•	•	•	•					•	•	•	•	•	
Stucco Haze	AR0AUC40	Ceramic	Standard	•	•	•	•	•	•	•	•	•	•	•					•	•	•	•	•	
Stucco Huckleberry	AR0AUC92	Ceramic	Standard	•	•	•	•	•	•	•	•	•	•	•					•	•	•	•	•	
Stucco Indigo	AR0AUC91	Ceramic	Standard	•	•	•	•	•	•	•	•	•	•	•					•	•	•	•	•	
Stucco Mist	AR0AUC93	Ceramic	Standard	•	•	•	•	•	•	•	•	•	•	•					•	•	•	•	•	
Stucco Nutmeg	AR0AUC89	Ceramic	Standard	•	•	•	•	•	•	•	•	•	•	•					•	•	•	•	•	
Stucco Opaline	AR0AUC88	Ceramic	Standard	•	•	•	•	•	•	•	•	•	•	•					•	•	•	•	•	
Stucco Pebble	AR0AUC38	Ceramic	Standard	•	•	•	•	•	•	•	•	•	•	•					•	•	•	•	•	
Stucco Putty	AR0AUC30	Ceramic	Standard	•	•	•	•	•	•	•	•	•	•	•					•	•	•	•	•	

Product Availability / Colour & Abstract

Size & Specification				Straight Grain Tiles								Straight Grain Planks					Cross Grain			Design Options				
				152.4 x 457.2 mm (6 x 18")	304.8 x 304.8 mm (12 x 12")	304.8 x 457.2 mm (12 x 18")	457.2 x 457.2 mm (18 x 18")	304.8 x 609.6 mm (12 x 24")	457.2 x 914.4 mm (18 x 36")	609.6 x 914.4 mm (24 x 36")	914.4 x 914.4 mm (36 x 36")	76.2 x 914.4 mm (3 x 36")	114.3 x 914.4 mm (4.5 x 36")	152.4 x 914.4 mm (6 x 36")	184.2 x 1219.2 mm (7.25 x 48")	228.6 x 1219.2 mm (9 x 48")	304.8 x 457.2 mm (12 x 18")	114.3 x 914.4 mm (4.5 x 36")	152.4 x 914.4 mm (6 x 36")	Stripping	Cross-Grain Stripping	Laying Patterns	Bespoke Design	Borders and Motifs
Product Name	Product code	Surface Textures	Price Point																					
Stucco Quartz	AR0AUC15	Ceramic	Standard	•	•	•	•	•	•	•	•	•	•	•					•	•	•	•	•	
Stucco Roselle	AR0AUC51	Ceramic	Standard	•	•	•	•	•	•	•	•	•	•	•					•	•	•	•	•	
Trace Kaolin	AR0W8390	Barnwood	Standard	•		•							•	•	•		•	•	•	•	•	•	•	
Trace Scree	AR0W8400	Barnwood	Standard	•		•							•	•	•	•	•	•	•	•	•	•	•	
Verdigris Burnished Metal	AR0ARH33	Ceramic	Standard	•	•	•	•	•	•	•	•		•	•					•	•	•	•	•	

Accreditations

Our ethos is to combine creativity and innovation with the highest levels of quality – design, manufacturing, product and service.

	Amtico Signature has been certified to achieve the M1 building materials emissions classification for indoor air quality from the Finnish Information Foundation RTS.		Amtico Signature products have been UPEC classified, therefore conforming to local French legislation.		The UKCA mark is a confirmation by Amtico that our products meet the UK Regulations as defined in the relevant Statutory Instruments (SIs).
	Amtico is a member of the professional association for flexible floor covering manufacturers in Germany.		The CE mark is a confirmation by Amtico that our products are in compliance with European health, safety and environmental requirements (as required by Council Directive 89/106/EEC and detailed in EN 14041).		Amtico Signature products are manufactured using both ortho-phthalate-free and bio-based plasticisers.
	Our quality system complies with BS EN ISO 9001 and is certified by LRQA.		Amtico Signature products have been UPEC classified, therefore conforming to local French legislation.		Amtico Signature complies with Indoor Air Comfort Gold version 6.0 and is certified as a low-emissions product contributing to a healthy indoor environment.
	Amtico International are proud to be affiliated with the Valobat Eco Organisation, whose objective is to collect and organise the end of life cycle of Amtico products in France.		Amtico products comply with BSI ISO 14001 environmental standards		



Amtico UK & European Sales

Solar Park Southside
Solihull, West Midlands
B90 4SH, UK
+44 (0) 121 745 0800
samples@amtico.com

Amtico International Sucursal En España

Calle Boix Y Morer 6, 2 Derecha
28003 Madrid, Spain
+34 (0) 91 335 24 94
info@amtico.es

Amtico Head Office

Kingfield Road
Coventry
CV6 5AA, UK
+44 (0) 24 7686 1400
samples@amtico.com

Amtico International Germany

Grand Bateau
Hammer Straße 17
40219 Düsseldorf
+49 (0) 211 361 155 0
info@amtico.de

Amtico International France

36 Avenue Hoche
75008 Paris, France
+33 (0) 1 55 38 95 70
info@amtico.fr

Amtico International Scandinavia

S:t Olofsgatan 11A
753 21 Uppsala
Sweden
+46 (0) 8 584 233 24
info@amtico.se

Amtico International Asia

Room 905
9/F., OfficePlus @ Wan Chai
303 Hennessy Road, HK
+852 2327 7703
samples@amtico.com

Amtico International Middle East, Africa & India

8th Floor
Building Number 2
J&G DMCC, Dubai, UAE
+971 (0) 50 192 33 46
samples@amtico.com

Amtico International Pty Ltd Australia & New Zealand

Unit 1, 40 Mill Street,
Yarrabilba 4207
Australia
australia.customerservice@amtico.com

amtico.com

Visit amtico.com for more information on our product range, inspiring ideas, maintenance and installation advice. Every effort is made to achieve accurate reproduction of products in this brochure, however printing limitations can be misleading. Selection of products should be made from actual samples. Samples are small pieces cut from standard tiles. They give only a general indication of the design. Tone and shading can vary slightly from batch to batch and it is not possible to guarantee that the sample will exactly match the material supplied. The policy of the Company is one of continuous development and improvement and the right is reserved to add or delete from the range or change patterns without prior notification. All metric sizes are rounded. All products are manufactured in line with EN ISO 10582. Brochure correct at the time of printing.

