


amtico
spacia

Beautifully
simple

In stock & ready when you are
0.55 mm wear layer


Spacia



BRITISH
MANUFACTURING
EXPERTISE

Beautifully simple	04
Planks & Tiles	10
Parquet	12
Wood	14
Stone	42
Simple Patterns	56
Stripping	58
Projects	60
Performance	72
Product Availability	74
Accreditations	76

Contents



Beautifully
simple

Introducing Spacia: a collection that’s beautifully simple to work with. Featuring impactful wood and stone designs, Spacia easily blends contemporary appeal with the durability necessary for any commercial space. For LVT flooring that delivers every single time, whether you’re aiming for sleek modernity or classic charm, Spacia simply works.



Spacia

0.55 mm

WEAR
LAYER

The wear layer in Spacia ensures excellent impact resistance and high clarity, making it ideal for high-traffic areas that demand both performance and style.



AMTICO
ACOUSTIC

Acoustic backing can be specified on standard planks & tiles and laying patterns without stripping.



AMTICO
SAFETY

Spacia can be specified with Amtico Safety, offering enhanced slip resistance for any commercial space where safety is paramount.



ANTIMICROBIAL
PROTECTION

Spacia’s antimicrobial properties provide an extra layer of protection, actively reducing bacteria by over 99.9%* within 24 hours compared to untreated polyethylene surfaces.

*See page 72 for more information.



AMTICO
BIO

Available to specify with 42% bio-attributed content on all standard planks & tiles.



140

PARQUET
OPTIONS

Any of our Spacia wood products can be laid in any of our Spacia laying patterns, including parquet. This unlocks 140 parquet options: a level of versatility no competitor can match.



BRITISH
MANUFACTURING
EXPERTISE

Over 60 years
of LVT innovation
& expertise.



DRYBACK
LVT

High-quality glue-down
vinyl flooring that's
designed for long-lasting
durability and style.

Amtico Spacia’s wood and stone collections are designed with careful attention to detail, capturing the authentic beauty of natural materials. Each wood plank and stone tile is crafted to harmonise with the next, ensuring a cohesive look with even greater style and simplicity.

ORDER FREE SAMPLES

Explore designs, hues
and textures with our
tactile sample swatches.



Fontana Marble Black & Fontana Marble White - Uniform Tile



Birchfield Oak - Stripwood

Spacia helps simplify specification by streamlining how you choose planks and tiles. Every one of our wood designs is available in every plank size, empowering you to use any design in any of our laying patterns, including parquet. Our stone collection follows the same approach, making it even easier to create cohesive, distinctive interiors.

ROOM VISUALISER

Explore our online visualiser to find the perfect floor for your space.



184.2 x 1219.2 mm



101.6 x 914.4 mm



914.4 x 914.4 mm




457.2 x 457.2 mm



304.8 x 457.2 mm




609.6 x 914.4 mm




Planks & Tiles

Timeless and classic, parquet remains a favourite again and again. Our updated Spacia collection is the biggest ever - 140 options across two sizes - small and large.



Small Parquet

Plank size:
76.2 x 228.6 mm



Large Parquet

Plank size:
101.6 x 457.2 mm



For Parquet your way





TOOLOW

Cool

PLANK SIZES		STANDARD FEATURES		
101.6 x 914.4 mm 184.2 x 1219.2 mm		 Commercial Warranty	 Antimicrobial Protection	0.55 mm Wear Layer
AVAILABLE TO SPECIFY WITH		 Amtico Safety	 Amtico Acoustic	 Amtico Bio

White Oak

SS5W2548



White Ash

SS5W2540



Nordic Oak

SS5W2550



Coastal Pine

SS5W3029



Weathered Oak

SS5W2524





Nordic Oak - Stripwood



PLANK SIZES

101.6 x 914.4 mm
184.2 x 1219.2 mm

STANDARD FEATURES



Commercial
Warranty



Antimicrobial
Protection

0.55
mm

Wear Layer

AVAILABLE TO SPECIFY WITH



Available in Small
& Large Parquet



Amtico Safety



Amtico Acoustic



Amtico Bio

Iced Oak

SS5W3310



Chalked Oak

SS5W1350



Credenza Oak

SS5W3035



Sash Oak

SS5W3032



Dusky Walnut

SS5W2542



Chalked Oak - Large Parquet SP239 & single plank border

Salvaged Timber

PLANK SIZES

101.6 x 914.4 mm
184.2 x 1219.2 mm



Available in Small
& Large Parquet

STANDARD FEATURES



Commercial
Warranty



Antimicrobial
Protection

0.55
mm

Wear Layer

AVAILABLE TO SPECIFY WITH



Amtico Safety



Amtico Acoustic



Amtico Bio

Cove Salvaged
Timber

SS5W1340



Washed Salvaged
Timber

SS5W3322



Urban Salvaged
Timber

SS5W3323



ORDER FREE SAMPLES

Explore designs, hues
and textures with our
tactile sample swatches.



Cove Salvaged Timber - Stripwood

Neutral

ORDER FREE SAMPLES

Explore designs, hues and textures with our tactile sample swatches.



PLANK SIZES

101.6 x 914.4 mm
184.2 x 1219.2 mm

STANDARD FEATURES



Commercial
Warranty



Antimicrobial
Protection

0.55
mm

Wear Layer

AVAILABLE TO SPECIFY WITH



Amtico Safety



Amtico Acoustic



Amtico Bio

Clifton Oak
SS5W1040



Powdered Oak
SS5W3311



Muted Oak
SS5W3312



Worn Ash
SS5W2539



Dry Cedar
SS5W2535



Tidewood Oak
SS5W1050



Bude Oak
SS5W1110



Lyndhurst Oak
SS5W1070



Featured Oak
SS5W2533



Windsor Oak
SS5W1260





Neutral

PLANK SIZES		STANDARD FEATURES		
101.6 x 914.4 mm 184.2 x 1219.2 mm		 Commercial Warranty	 Antimicrobial Protection	0.55 mm Wear Layer
Available in Small & Large Parquet		AVAILABLE TO SPECIFY WITH		
		 Amtico Safety	 Amtico Acoustic	 Amtico Bio

Oyster Oak
SS5W1090



Blanched Oak
SS5W1360



Sauntton Oak
SS5W1190



Sun Bleached Oak
SS5W2531



Hampton Oak
SS5W3031



Blanched Oak - Boardwalk



Harrier Oak - Stripwood

PLANK SIZES

101.6 x 914.4 mm
184.2 x 1219.2 mm

STANDARD FEATURES



Commercial
Warranty



Antimicrobial
Protection

0.55
mm

Wear Layer

AVAILABLE TO SPECIFY WITH



Available in Small
& Large Parquet



Amtico Safety



Amtico Acoustic



Amtico Bio

Birchfield Oak
SS5W1100



Dawlish Oak
SS5W1200



Cabin Timber
SS5W1160



Harrier Oak
SS5W1380



Lodge Oak
SS5W1170



Neutral

PLANK SIZES		STANDARD FEATURES		
101.6 x 914.4 mm 184.2 x 1219.2 mm		 Commercial Warranty	 Antimicrobial Protection	 0.55 mm Wear Layer
AVAILABLE TO SPECIFY WITH		 Amtico Safety	 Amtico Acoustic	 Amtico Bio

Tailor Oak SS5W1280	Milliner Oak SS5W1290	Wilton Oak SS5W1060	Mulled Oak SS5W3313	Saddler Oak SS5W1240
				



Milliner Oak - Stripwood



Wenlock Oak - Stripwood & Large Parquet SP247

PLANK SIZES

101.6 x 914.4 mm
184.2 x 1219.2 mm

STANDARD FEATURES



Commercial
Warranty



Antimicrobial
Protection

0.55
mm

Wear Layer

AVAILABLE TO SPECIFY WITH



Available in Small
& Large Parquet



Amtico Safety



Amtico Acoustic



Amtico Bio

Langford Oak
SS5W1130



Wenlock Oak
SS5W1080



Noble Oak
SS5W3030



Brewer Oak
SS5W1270



Tanner Oak
SS5W1250



Golden

ROOM VISUALISER

Explore our online visualiser to find the perfect floor for your space.



PLANK SIZES

101.6 x 914.4 mm
184.2 x 1219.2 mm

STANDARD FEATURES



Commercial
Warranty



Antimicrobial
Protection

0.55
mm

Wear Layer

AVAILABLE TO SPECIFY WITH



Amtico Safety



Amtico Acoustic



Amtico Bio

Stowe Oak
SS5W1120



Bexley Oak
SS5W1320



Grove Oak
SS5W1220



Tetbury Oak
SS5W1300



Craft Oak
SS5W1210



Hartland Oak
SS5W1180



Westmere Oak
SS5W1330



Carmel Oak
SS5W1150



Alverton Oak
SS5W1310



Guild Oak
SS5W1230





Warm

PLANK SIZES		STANDARD FEATURES		
101.6 x 914.4 mm 184.2 x 1219.2 mm		 Commercial Warranty	 Antimicrobial Protection	0.55 mm Wear Layer
AVAILABLE TO SPECIFY WITH		 Amtico Safety	 Amtico Acoustic	 Amtico Bio

Kew Oak SS5W1390	Pale Ash SS5W2518	Sherwood Oak SS5W2532	New England Oak SS5W2527	Royal Oak SS5W2530
				



Kew Oak - Herringbone Plank



Honey Oak - Stripwood

PLANK SIZES

101.6 x 914.4 mm
184.2 x 1219.2 mm

STANDARD FEATURES



Commercial
Warranty



Antimicrobial
Protection

0.55
mm

Wear Layer

AVAILABLE TO SPECIFY WITH



Available in Small
& Large Parquet



Amtico Safety



Amtico Acoustic



Amtico Bio

Eden Oak

SS5W1010



Smoothbark Hickory

SS5W2545



Honey Oak

SS5W2504



Traditional Oak

SS5W2514



Black Walnut

SS5W2534







Portico Stone - Uniform Tile

Neutral

TILE SIZES

- 304.8 x 457.2 mm
- 457.2 x 457.2 mm
- 609.6 x 914.4 mm
- 914.4 x 914.4 mm

STANDARD FEATURES

 Commercial Warranty

 Antimicrobial Protection

0.55mm

Wear Layer

AVAILABLE TO SPECIFY WITH

 Amtico Safety

 Amtico Acoustic

 Amtico Bio

Portico Stone SS5S4402 Pampas SS5S2635 Snow SS5S2628



Monument Concrete SS5S3072 Temple Stone SS5S4403 Travertine Grigio SS5S4404



Century Concrete SS5S3069 Ceramic Ecru SS5S3592 Cementa Tate SS5S4405



Warm

TILE SIZES

304.8 x 457.2 mm

457.2 x 457.2 mm

609.6 x 914.4 mm

914.4 x 914.4 mm

STANDARD FEATURES



Commercial
Warranty



Antimicrobial
Protection

0.55
mm

Wear Layer

AVAILABLE TO SPECIFY WITH



Amtico Safety



Amtico Acoustic



Amtico Bio

Agora LimestoneSS5S6114

Forum StoneSS5S6115

Court StoneSS5S6116



Draycote StoneSS5S6117

Travertine OroSS5S6119

Dover StoneSS5S6121



Castello StoneSS5S6118

Mantle StoneSS5S6122

Stanton StoneSS5S1593



Travertine Oro - Broken Bond



Cool

TILE SIZES

304.8 x 457.2 mm
457.2 x 457.2 mm
609.6 x 914.4 mm
914.4 x 914.4 mm

STANDARD FEATURES



Commercial
Warranty



Antimicrobial
Protection

0.55
mm

Wear Layer

AVAILABLE TO SPECIFY WITH



Amtico Safety



Amtico Acoustic



Amtico Bio

Abbey Stone

SS5S4570



Plaza Concrete

SS5S3070



Rialto Concrete

SS5S2611



Cementa Bilbao

SS5S4572



Ceramic Flint

SS5S2594



Villa Concrete

SS5S2612




Gallery Concrete

SS5S3071



Fontana Marble Black

SS5S4573



Fontana Marble White

SS5S4574




Cementa Bilbao - Uniform Tile

Terrazzo

TILE SIZES		STANDARD FEATURES		
304.8 x 457.2 mm		 Commercial Warranty	 Antimicrobial Protection	0.55 mm Wear Layer
457.2 x 457.2 mm		AVAILABLE TO SPECIFY WITH		
609.6 x 914.4 mm		 Amtico Safety	 Amtico Acoustic	 Amtico Bio
914.4 x 914.4 mm				


Como

SS5S2613




Vesper

SS5S2616



Garda

SS5S2614




Paloma

SS5S2615




Amalfi

SS5S2609



Gibson

SS5S2603



ROOM VISUALISER

Explore our online visualiser to find the perfect floor for your space.



Como - Uniform Tile, Stucco Flax stripping & Lyndhurst Oak - Stripwood





Piazza Montara - Uniform Tile

Piazza

TILE SIZES

- 304.8 x 457.2 mm
- 457.2 x 457.2 mm
- 609.6 x 914.4 mm
- 914.4 x 914.4 mm

STANDARD FEATURES

- 10 Year Commercial Warranty
- Antimicrobial Protection
- 0.55 mm Wear Layer

AVAILABLE TO SPECIFY WITH

- Amtico Safety
- Amtico Acoustic
- Amtico Bio


Piazza Montara

SS5S2622



Piazza Caldera

SS5S2623




ORDER FREE SAMPLES

Explore designs, hues and textures with our tactile sample swatches.




Simple Patterns

Pick any of our standard planks and tiles in one colour* and size to create impact quickly with simple, timeless pattern options.




Deck Block


Stripping required
Plank sizes:
101.6 x 914.4 mm
184.2 x 1219.2 mm




Wicket
Stripping optional
Plank sizes:
101.6 x 914.4 mm
184.2 x 1219.2 mm




Linear Block
Stripping optional
Plank sizes:
101.6 x 914.4 mm
184.2 x 1219.2 mm



Herringbone Plank
Plank sizes:
101.6 x 914.4 mm
184.2 x 1219.2 mm




Stripwood
Plank sizes:
101.6 x 914.4 mm
184.2 x 1219.2 mm




Boardwalk
Plank sizes:
101.6 x 914.4 mm
184.2 x 1219.2 mm


*Except Checkerboard which is two colours.




Broken Bond
Stripping optional
Tile sizes:
304.8 x 457.2 mm
609.6 x 914.4 mm




Uniform Block
Stripping optional
Tile sizes:
304.8 x 457.2 mm
609.6 x 914.4 mm
101.6 x 914.4 mm
184.2 x 1219.2 mm




Herringbone Tile
Stripping optional
Tile sizes:
304.8 x 457.2 mm
609.6 x 914.4 mm



Bonded Stone
Stripping optional
Tile sizes:
457.2 x 457.2 mm
914.4 x 914.4 mm



Uniform Tile
Stripping optional
Tile sizes:
457.2 x 457.2 mm
914.4 x 914.4 mm



Checkerboard
Stripping optional
Tile sizes:
457.2 x 457.2 mm

Stripping

Add contrast & definition or create a grout effect. Choose stripping that complements the tone and materiality of planks and tiles, then combine them together in one of our timeless patterns.

Stria Basalt AROSMS43



Cementa Tate SS5S4405



Example laid in Uniform Tile with 3.2 mm stripping

Feature stripping is available in the following sizes:*

	
3.2 x 914.4 mm	12.7 x 914.4 mm
	
6.4 x 914.4 mm	19.1 x 914.4 mm
	
9.5 x 914.4 mm	

Antico Safety, Acoustic & Bio product enhancements are not available on stripping.

	
Dark Walnut AROW7700	Ashdown Oak AROW8680
	
Woolwich Concrete AROSRE31	Wild Walnut AROW7620
	
Cirrus Air AROW8100	Mirabelle Creme AROSMB14
	
Stucco Putty AROAUC30	Stria Basalt AROSMS43
	
Stria Volcanic AR0SMS42	Concrete Pale AROSCN30
	
Deptford Concrete AROSRE29	Modernist Frame AROAMN30
	
Polished Silver** AROAPL32	Polished Copper** AROAPL45
	
Pure Plain Black AROAPN22	Polished Gold** AROAPL78

*Sizes shown are not actual size
**Straight Grain only





store

Restaurant Choice

The White Oak design in a classic Herringbone Plank laying pattern brightens the contemporary interior and gives a Nordic feel to the contemporary restaurant.

SECTOR

Hospitality & Leisure


LOCATION

Latvia



SS5W2548

White Oak



Laying pattern

Herringbone Plank





Meadowhill Care Home, Westgate Healthcare


Amtico Spacia Safety in Featured Oak was used over three floors in this care home and provides an extra level of safety for residents and staff.

SECTOR
Care Homes

LOCATION
UK



SG5W2533
Featured Oak



Laying pattern
Stripwood



Vilnius District Municipality

The striking design detail of curved Pure Plain Black stripping separates out the calm Rialto Concrete and the exciting Amalfi terrazzo.

SECTOR


Office

LOCATION

Lithuania




SS5S2611
Rialto Concrete



SS5S2609
Amalfi



AR0APN22
Pure Plain Black



Laying pattern
Uniform Tile



La Table d'Edouard, ibis Styles Rezé

SECTOR

Hospitality & Leisure

LOCATION

France

This elegant restaurant seamlessly blends style and functionality, with defined yet integrated zones that enhance both guest experience and operational efficiency.



SS5S2635

Pampas




SS5W2527

New England Oak




AR0APL78

Polished Gold



Laying pattern

Uniform Tile



Laying pattern

Herringbone Plank

Designer: D+B INTERIOR DESIGN
Photographer: Samuel Ferdjouei




Quintain Living Luna

Luna from Quintain Living provides residents with a contemporary and ultra-modern home in London. Dusky Walnut was specified in the apartments creating a beautifully elegant finish.




SS5W2542

Dusky Walnut



Laying pattern

Herringbone Plank




SECTOR

Build-to-rent

LOCATION

UK



Performance

Flooring fit for the future.



Specify Amtico Bio
Amtico Bio is our first bio-attributed LVT flooring. It is made with bio-attributed PVC, which replaces fossil fuel feedstocks with more sustainable renewable biomass alternatives. Specifying Amtico Bio reduces the embodied carbon of Amtico LVT by between 20 to 28%,* whilst still offering the same performance and finish.

We use carefully selected and audited sources of biomass to create the renewable ethylene that goes into our bio-attributed PVC. This includes by-products such as Crude Tall Oil (CTO) from trees and Used Cooking Oil (UCO).

Spacia is available to specify with 42% bio-attributed content on all standard planks and tiles.

Added protection against bacteria and viruses.



Benefit from Antimicrobial Protection
We add an antimicrobial ionic silver additive to our PU lacquer that provides a hygienic surface where bacteria and viruses will struggle to multiply or survive.

Embedded antimicrobials are not designed to replace cleaning and disinfection, but to provide an additional level of protection between regular cleaning cycles in high traffic spaces.

This has been independently tested to ISO 22196 and shown to reduce harmful MRSA and E. coli bacteria by over 99.9%** within 24 hours compared to untreated polyethylene surfaces.

All our antimicrobial flooring achieves the same levels of high performance against sunlight, scuffs and stains and heavy traffic that you expect from any Amtico floor.

*Varies by collection.
**ISO 22196 testing demonstrated ≥ 99.9% reduction of MRSA and E. coli on Amtico PU lacquer within 24 hours compared to untreated polyethylene film. ISO 21702:2019 testing demonstrated an 85.5% reduction of SARS-CoV-2 within 24 hours compared to inert glass. Applies only to treated PU lacquer. Contact your Amtico representative for details on Amtico options with the same antimicrobial protection.

What silence looks like.



Specify Amtico Acoustic
Amtico Acoustic enhances the acoustic properties of LVT by reducing impact sound transmission by up to 18dB* and also provides an extra level of comfort underfoot.

Amtico Acoustic brings another layer of performance and versatility to the design, quality and durability you expect from Amtico.

For safety beyond the surface.



Specify Amtico Safety
Most safety floors only have one additional safety layer. Amtico Safety flooring has several layers of safety, design and antimicrobial features.

All of our floors meet the BS EN 13845 Enhanced Slip Standard, taking our commitment to safety, hygiene and design far beyond surface level.



Wood

Product Name	Product Code	Surface Texture	Straight Grain		Laying Patterns			
			1016 x 914.4 mm (4 x 36")	184.2 x 1219.2 mm (7.25 x 48")	Small Parquet (Tick Finish) 76.2 x 228.6 mm (3 x 9")	Small Parquet (Barnwood Finish) 76.2 x 228.6 mm (3 x 9")	Large Parquet (Tick Finish) 101.6 x 457.2 mm (4 x 18")	Large Parquet (Barnwood Finish) 101.6 x 457.2 mm (4 x 18")
Alverton Oak	SS5W1310	Tick	•	•	SP224		SP269	
Bexley Oak	SS5W1320	Tick	•	•	SP225		SP270	
Birchfield Oak	SS5W1100	Tick	•	•	SP204		SP249	
Black Walnut	SS5W2534	Tick	•	•	SP122		SP160	
Blanched Oak	SS5W1360	Tick	•	•	SP195		SP240	
Brewer Oak	SS5W1270	Barnwood	•	•		SP220		SP265
Bude Oak	SS5W1110	Tick	•	•	SP205		SP250	
Cabin Timber	SS5W1160	Barnwood	•	•		SP209		SP254
Carmel Oak	SS5W1150	Tick	•	•	SP208		SP253	
Chalked Oak	SS5W1350	Tick	•	•	SP194		SP239	
Clifton Oak	SS5W1040	Tick	•	•	SP198		SP243	
Coastal Pine	SS5W3029	Barnwood	•	•		SP127		SP165
Cove Salvaged Timber	SS5W1340	Barnwood	•	•		SP193		SP238
Craft Oak	SS5W1210	Tick	•	•	SP214		SP259	
Credenza Oak	SS5W3035	Barnwood	•	•		SP177		SP272
Dawlish Oak	SS5W1200	Tick	•	•	SP213		SP258	
Dry Cedar	SS5W2535	Barnwood	•	•		SP178		SP273
Dusky Walnut	SS5W2542	Tick	•	•	SP179		SP274	
Eden Oak	SS5W1010	Tick	•	•	SP180		SP227	
Featured Oak	SS5W2533	Tick / Barnwood	•	•	SP132	SP133	SP170	SP171
Grove Oak	SS5W1220	Tick	•	•	SP215		SP260	
Guild Oak	SS5W1230	Tick	•	•	SP216		SP261	
Hampton Oak	SS5W3031	Tick	•	•	SP181		SP228	
Harrier Oak	SS5W1380	Tick	•	•	SP196		SP241	
Hartland Oak	SS5W1180	Tick	•	•	SP211		SP256	
Honey Oak	SS5W2504	Tick / Barnwood	•	•	SP128	SP129	SP166	SP167
Iced Oak	SS5W3310	Tick	•	•	SP104		SP140	
Kew Oak	SS5W1390	Tick	•	•	SP197		SP242	
Langford Oak	SS5W1130	Tick	•	•	SP207		SP252	
Lodge Oak	SS5W1170	Barnwood	•	•		SP210		SP255
Lyndhurst Oak	SS5W1070	Tick	•	•	SP201		SP246	
Milliner Oak	SS5W1290	Tick	•	•	SP222		SP267	
Mulled Oak	SS5W3313	Tick	•	•	SP101		SP137	
Muted Oak	SS5W3312	Tick	•	•	SP102		SP138	
New England Oak	SS5W2527	Tick / Barnwood	•	•	SP182	SP183	SP229	SP230
Noble Oak	SS5W3030	Tick	•	•	SP121		SP159	
Nordic Oak	SS5W2550	Tick / Barnwood	•	•	SP124	SP125	SP162	SP163
Oyster Oak	SS5W1090	Tick	•	•	SP203		SP248	
Pale Ash	SS5W2518	Tick	•	•	SP120		SP158	
Powdered Oak	SS5W3311	Tick	•	•	SP103		SP139	
Royal Oak	SS5W2530	Tick / Barnwood	•	•	SP134	SP135	SP172	SP173
Saddler Oak	SS5W1240	Tick	•	•	SP217		SP262	
Sash Oak	SS5W3032	Tick	•	•	SP184		SP231	
Saunton Oak	SS5W1190	Tick	•	•	SP212		SP257	
Sherwood Oak	SS5W2532	Tick / Barnwood	•	•	SP185	SP186	SP232	SP233
Smoothbark Hickory	SS5W2545	Tick	•	•	SP187		SP234	
Stowe Oak	SS5W1120	Tick	•	•	SP206		SP251	
Sun Bleached Oak	SS5W2531	Barnwood	•	•		SP126		SP164
Tailor Oak	SS5W1280	Tick	•	•	SP221		SP266	
Tanner Oak	SS5W1250	Tick	•	•	SP218		SP263	
Tetbury Oak	SS5W1300	Tick	•	•	SP223		SP268	
Tidewood Oak	SS5W1050	Tick	•	•	SP199		SP244	
Traditional Oak	SS5W2514	Tick / Barnwood	•	•	SP130	SP131	SP168	SP169
Urban Salvaged Timber	SS5W3323	Barnwood	•	•		SP188		SP142
Washed Salvaged Timber	SS5W3322	Barnwood	•	•		SP189		SP141
Weathered Oak	SS5W2524	Barnwood	•	•		SP190		SP235
Wenlock Oak	SS5W1080	Tick	•	•	SP202		SP247	
Westmere Oak	SS5W1330	Tick	•	•	SP226		SP271	
White Ash	SS5W2540	Barnwood	•	•		SP123		SP161
White Oak	SS5W2548	Tick	•	•	SP191		SP236	
Wilton Oak	SS5W1060	Tick	•	•	SP200		SP245	
Windsor Oak	SS5W1260	Tick	•	•	SP219		SP264	
Worn Ash	SS5W2539	Barnwood	•	•		SP192		SP237

Stone

Product Name	Product Code	Surface Texture	Straight Grain			
			304.8 x 457.2 mm (12 x 18")	457.2 x 457.2 mm (18 x 18")	609.6 x 914.4 mm (24 x 36")	914.4 x 914.4 mm (36 x 36")
Abbey Stone	SSSS4570	Ceramic	•	•	•	•
Agora Limestone	SSSS6114	Ceramic	•	•	•	•
Amalfi	SSSS2609	Ceramic	•	•	•	•
Castello Stone	SSSS6118	Ceramic	•	•	•	•
Cementa Bilbao	SSSS4572	Ceramic	•	•	•	•
Cementa Tate	SSSS4405	Ceramic	•	•	•	•
Century Concrete	SSSS3069	Ceramic	•	•	•	•
Ceramic Ecru	SSSS3592	Ceramic	•	•	•	•
Ceramic Flint	SSSS2594	Ceramic	•	•	•	•
Como	SSSS2613	Ceramic	•	•	•	•
Court Stone	SSSS6116	Ceramic	•	•	•	•
Dover Stone	SSSS6121	Ceramic	•	•	•	•
Draycote Stone	SSSS6117	Ceramic	•	•	•	•
Fontana Marble Black	SSSS4573	Ceramic	•	•	•	•
Fontana Marble White	SSSS4574	Ceramic	•	•	•	•
Forum Stone	SSSS6115	Ceramic	•	•	•	•
Gallery Concrete	SSSS3071	Ceramic	•	•	•	•
Garda	SSSS2614	Ceramic	•	•	•	•
Gibson	SSSS2603	Ceramic	•	•	•	•
Mantle Stone	SSSS6122	Ceramic	•	•	•	•
Monument Concrete	SSSS3072	Ceramic	•	•	•	•
Paloma	SSSS2615	Ceramic	•	•	•	•
Pampas	SSSS2635	Ceramic	•	•	•	•
Piazza Caldera	SSSS2623	Ceramic	•	•	•	•
Piazza Montara	SSSS2622	Ceramic	•	•	•	•
Plaza Concrete	SSSS3070	Ceramic	•	•	•	•
Portico Stone	SSSS4402	Ceramic	•	•	•	•
Rialto Concrete	SSSS2611	Ceramic	•	•	•	•
Snow	SSSS2628	Ceramic	•	•	•	•
Stanton Stone	SSSS1593	Ceramic	•	•	•	•
Temple Stone	SSSS4403	Ceramic	•	•	•	•
Travertine Grigio	SSSS4404	Ceramic	•	•	•	•
Travertine Oro	SSSS6119	Ceramic	•	•	•	•
Vesper	SSSS2616	Ceramic	•	•	•	•
Villa Concrete	SSSS2612	Ceramic	•	•	•	•

Accreditations

Our ethos is to combine creativity and innovation with the highest levels of quality – design, manufacturing, product and service.

TECHNICAL INFORMATION

View all the technical, installation and maintenance details.



	The CE mark is a confirmation by Amtico that our products are in compliance with European health, safety and environmental requirements (as required by Council Directive 89/106/EEC and detailed in EN 14041).		In the UK, Amtico has partnered with the Dementia Service Development Centre (DSDC) to review and accredit our flooring collections to help people with (or caring for those with) dementia to live well.
	Amtico Spacia complies with Indoor Air Comfort Gold version 6.0 and is certified as a low-emissions product contributing to a healthy indoor environment.		Amtico Spacia has been certified to achieve the M1 building materials emissions classification for indoor air quality from the Finnish Information Foundation RTS.
	Amtico is a member of the professional association for flexible floor covering manufacturers in Germany.		Our quality system complies with BS EN ISO 9001 and is certified by LRQA.
	Amtico Spacia products are third-party certified for low-VOC emissions contributing towards good indoor air quality.		Amtico products are manufactured within ISO14001 compliant facilities.
	Amtico Spacia products are manufactured using ortho-phthalate free plasticisers.		Amtico International are proud to be affiliated with the Valobat Eco Organisation, whose objective is to collect and organise the end of life cycle of Amtico products in France.
	Amtico International GmbH is a member of the DGNB German Sustainable Building Council.		Amtico Spacia products have been UPEC classified, therefore complying with the UPEC classification.

Visit amtico.com for more information on our product range, inspiring ideas and maintenance and installation advice. Every effort is made to achieve accurate reproduction of products in this brochure; however, printing limitations can be misleading. Selection of products should be made from actual samples. Samples are small pieces cut from standard tiles. They give only a general indication of the design. Tone and shading can vary slightly from batch to batch and it is not possible to guarantee that the sample will exactly match the material supplied. The policy of the Company is one of continuous development and improvement and the right is reserved to add or delete from the range or change patterns without prior notification. All products are manufactured in line with EN ISO 10582. Brochure correct at the time of publication.



Amtico UK & European Sales

Solar Park Southside
Solihull, West Midlands
B90 4SH, UK
+44 (0) 121 745 0800
samples@amtico.com

Amtico Head Office

Kingfield Road
Coventry
CV6 5AA, UK
+44 (0) 24 7686 1400
samples@amtico.com

**Amtico International
Germany**

Grand Bateau
Hammer Straße 17
40219 Düsseldorf
Germany
+49 (0) 211 361155 0
info@amtico.de

**Amtico International
France**

36 Avenue Hoche
75008 Paris
France
+33 (0) 1 55 38 95 70
info@amtico.fr

**Amtico International
Scandinavia**

S:t Olofsgatan 11A
753 21 Uppsala
Sweden
+46 (0) 8 584 233 24
info@amtico.se

**Amtico International
Sucursal En España**

Calle Boix Y Morer 6, 2 Derecha
28003 Madrid, Spain
+34 (0) 91 335 24 94
info@amtico.es

Amtico International Asia

Room 905
9/F., OfficePlus @ Wan Chai
303 Hennessy Road, Hong Kong
+852 2327 7703
samples@amtico.com

**Amtico International
Middle East, Africa & India**

8th Floor
Building Number 2
J&G DMCC, Dubai, UAE
+971 (0) 50 192 33 46
samples@amtico.com

**Amtico International Pty Ltd
Australia & New Zealand**

Unit 1, 40 Mill Street
Yarrabilba 4207
Australia
australia.customerservice@amtico.com